

CATALOGUE 2023



edesa

edesa

The technical characteristics indicated in the catalogue must be verified by the THE MANUFACTURER.
Non-contractual photographs.
CATA Electrodomésticos S.L. reserves the right to modify the characteristics of its products without prior notice.
© Design, layout, images and content are the property of CATA Electrodomésticos S.L.

CATALOGUE 2023

HOBS	p4-8
HOB WITH INTEGRATED VENTILATION	p4
INDUCTION HOB	p4-5
VITROCERAMIC HOB	p6
GAS	p7-8
OVENS	p10-11
MICROWAVES	p12-13
HOODS	p14-18
FRIDGES	p19-22
FREEZERS	p22-23
DISHWASHERS	p24-25
WASHERS AND DRYERS	p26-27
SINKS	p28-30
TAPS	p31
TECHNICAL INFORMATION	p32-59

Edesa is a lifestyle

It is dynamism and creativity. It is freshness at your home. Edesa is the brand for those who are looking for different options to the current offers in the market.

For those who believe that appliances are also part of home decoration, according to our personality and likings. Closeness, complicity, new trends, lifestyles and creativity are the values that distinguish our brand.

With more than 80 years of experience, and still with the emotion of the first day

Edesa deals with the manufacture and sale of household appliances since 1941. It has since been pioneering and a national benchmark in hobs, ovens, washing machines and water heaters.


We launch a new range of Edesa domestic appliances with a renewed vitality, and desiring to offer the best of us. We have come to stay, keeping our essence with new projects and solutions for every home.


We seek to be more competitive, more efficient and above all to develop household appliances adapted to the market needs. With innovative designs, offering features according to the market demands and being able to offer a better lifestyle at home.

Committed with you

Edesa has a clear tendency to satisfy our customer needs offering functional, efficient, reliable and long-lasting products. We wish to accompany you from the first day you choose us.

We are committed to maintain our relationship and to keep working to preserve it providing a continued attention to a society which is constantly moving. Because your comfort and satisfaction are our best reward.





CNA Group is a leading household appliances worldwide manufacturer.

We have been developing our products for more than 75 years and trying to offer an excellent product in both design and performance.

Founded in Barcelona, Spain, in 1947, since then it has been a pioneer in the domestic extraction business with a wide range of products including exhaust fans, conventional and decorative cooker hoods, hobs, ovens, microwaves, taps, sinks, washing machines, dryers, dishwashers, refrigerators, wine coolers, water heaters and equipment with the use of high quality materials treated in an environmentally friendly way and looking forward the energy efficiency.

At present the CNA Group headquarters are based in Madrid. We supply more than 100 customers on daily basis in the five continents and attend them with our wide network of professionals and from our offices in Spain, UK and Hong Kong.

As part of our commitment with our customers, in CNA Group to achieve excellent quality, latest technology and sustainable products, we invest over 6 million euros per year.

CNA Group has an important balance between manufacturing, innovation and diversification, positioning itself with a differentiated industrial model.

With a total of 5 plants in the world and 2.400 employees, the industrial group has a production capacity over 6.5 million units, producing between others, 2 million cooker hoods and becoming one of the main manufacturers in the world. Total surface facilities are over 150.000m².

We have recently inaugurated new commercial offices and a new showroom in Madrid, the capital of Spain, where we show our latest developments in household appliances.

HOB WITH INTEGRATED VENTILATION

EIT-7422 DD B

Cod.: 922272058 EAN: 8422248109659




NEW

- » Frontal bevelled induction hob and cooker hood
- » 4 Zone: 21,5x19 cm. Flexzone: 21,5x38 cm
- » Touch control panel
- » Preset cooking functions (Keep warm)
- » Stop&Go function
- » Safety lock

Accessories (Not Included)

Plinth recirculating kit Cod. 02800939


Rectangular duct kit Cod. 02800992



INDUCTION HOB

EIM-9530 R


Cod.: 922272023 EAN: 8435436000003



- » Induction hob with rounded edge
- » 5 Zone: Four of 21x20 cm. One of 30 cm. Flexzone: 21x40 cm
- » Multi Slider Touch control panel
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIM-8430 R

Cod.: 922272024 EAN: 8422248098946




- » Induction hob with rounded edge
- » 4 Zone: Two of 21x20 cm. One of 30 cm. One of 18 cm. Flexzone: 21x40 cm
- » Multi Slider Touch control panel
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock



INDUCTION HOB

EIM-6422 B

Cod.: 922272052 EAN: 8422248109581




NEW

- » Frontal bevelled induction hob
- » 4 Zone: One of 22 cm, other of 20 cm and other two of 18 cm diameter
- » Multi Slider Touch control panel
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIM-6331 HT BQ B


Cod.: 922272019 EAN: 8422248091190



- » Frontal bevelled induction hob
- » 3 Zone: One of 30 cm, other two HorizonteTech of 20 cm (20 x 40 cm) diameter
- » Multi Slider Touch control panel
- » Preset cooking functions (keep warm and BBQ function)
- » Stop&Go function
- » Safety lock

EIMS-6332 B


Cod.: 922272040 EAN: 8422248108546







- » Frontal bevelled continuous induction hob
- » 3 Zone: One of 32/18 cm, other of 21 cm and other 18 cm diameter
- » Multi Slider Touch control panel
- » AUTO Connectivity with compatible hood
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIMS-6330 B BK

Cod.: 922272043 EAN: 8422248108584



- » Frontal bevelled continuous induction hob
- » 3 Zone: One of 30/18 cm, other of 21 cm and other 18 cm diameter
- » Multi Slider Touch control panel
- » AUTO Connectivity with compatible hood
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock



INDUCTION HOB

EIMS-6330 B WH


Cod.: 922272044 EAN: 8422248108676



- » Frontal bevelled continuous induction hob
- » 3 Zone: One of 30/18 cm, other of 21 cm and other 18 cm diameter
- » Multi Slider Touch control panel
- » AUTO Connectivity with compatible hood
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIM-6330 B


Cod.: 922272014 EAN: 8435436112683



- » Frontal bevelled induction hob
- » 3 Zone: One of 30 cm, other of 22 cm and other 18 cm diameter
- » Multi Slider Touch control panel
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIM-6328 B WH

Cod.: 922272048 EAN: 8422248109543




NEW

- » Frontal bevelled induction hob
- » 3 Zone: One of 28 cm, other of 22 cm and other 18 cm diameter
- » Multi Slider Touch control panel
- » Preset cooking functions (Keep warm, Melting and Simmering)
- » Stop&Go function
- » Safety lock

EIR-6331 B

Cod.: 922272018 EAN: 8422248091206




- » Frontal bevelled induction hob
- » 3 Zone: One of 30 cm, other of 22 cm and other 16 cm diameter
- » Round Slider Touch control panel
- » Preset cooking functions (keep warm)
- » Stop&Go function
- » Safety lock

INDUCTION HOB

EIS-6330 R

Cod.: 922272046 EAN: 8422248109383




NEW

- » Induction hob with rounded edge
- » 3 Zone: One of 30 cm, other of 22 cm and other 18 cm diameter
- » Mono Slider Touch control panel
- » Safety lock

EIT-6329 B

Cod.: 922272039 EAN: 8422248108416



- » Frontal bevelled induction hob
- » 3 Zone: One of 28 cm, other of 21 cm and other 16 cm diameter
- » Touch control panel
- » Safety lock

EIT-6328 R

Cod.: 922272051 EAN: 8422248109574




NEW

- » Induction hob with rounded edge
- » 3 Zone: One of 28 cm, other of 22 cm and other 18 cm diameter
- » Touch control panel
- » Safety lock





EIS-3220 B

Cod.: 922272047 EAN: 8422248109390



NEW

- » Frontal bevelled induction hob
- » 2 Zone: One of 20 cm and other 18 cm diameter
- » Mono Slider Touch control panel
- » Safety lock



VITROCERAMIC HOB

EVT-6422 R

Cod.: 922272041 EAN: 8422248108553



EVT-6328 B

Cod.: 922272049 EAN: 8422248109550



NEW

EVT-6328 R

Cod.: 922272050 EAN: 8422248109567



NEW

EVT-3220 B

Cod.: 922272064 EAN: 8422248111256







NEW

- » Radiant vitroceramic hob with rounded edge
- » 4 Zone: One of 21,5 cm, other of 18,5 cm and other two 15 cm diameter
- » Touch control panel
- » Safety lock by key combination

- » Frontal bevelled radiant vitroceramic hob
- » 3 Zone: One of 28/22/15,5 cm, other of 18,5 cm and other 15 cm diameter
- » Touch control panel
- » Safety lock by key combination

- » Radiant vitroceramic hob with rounded edge
- » 3 Zone: One of 28/22 cm, other of 18,5 cm and other 15 cm diameter
- » Touch control panel
- » Safety lock by key combination

- » Frontal bevelled radiant vitroceramic hob
- » 2 Zone: One of 19/12 cm and other 15,5 cm diameter
- » Touch control panel
- » Safety lock by key combination



5 ZONES GAS HOB

EGG-9051 TI TR CI N

Cod.: 922272067 EAN: 8422248198318



NEW

- » Natural gas hob with 5 burners
- » Cast iron 3 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), one fast burner, two semi-fast burners and one auxiliary burner
- » Total gas power: 11,5 kW

EGG-7551 TI TR CI N

Cod.: 922272068 EAN: 8422248198325



NEW

- » Natural gas hob with 5 burners
- » Cast iron 3 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), one fast burner, two semi-fast burners and one auxiliary burner
- » Total gas power: 11,5 kW

4 ZONES GAS HOB

EGG-6041 TI TR CI N

Cod.: 922272069 EAN: 8422248198332



NEW

- » Natural gas hob with 4 burners
- » Cast iron 2 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), two semi-fast burners and one auxiliary burner
- » Total gas power: 9,75 kW

EGG-6041 TI TR CI B

Cod.: 922272070 EAN: 8422248198349




NEW

- » Butane gas hob with 4 burners
- » Cast iron 2 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), two semi-fast burners and one auxiliary burner
- » Total gas power: 9,75 kW

4 ZONES GAS HOB

EGX-6041 TI TR CI N

Cod.: 922272071 EAN: 8422248198363




NEW

- » Natural gas hob with 4 burners
- » Cast iron 2 independent pan supports on stainless steel surface
- » One triple ring burner, one fast burner, one semi-fast burner and one auxiliary burner
- » Total gas power: 9,05 kW

EGX-6041 TI TR CI B

Cod.: 922272072 EAN: 8422248198370



NEW

- » Butane gas hob with 4 burners
- » Cast iron 2 independent pan supports on stainless steel surface
- » One triple ring burner, one fast burner, one semi-fast burner and one auxiliary burner
- » Total gas power: 9,05 kW

EGX-6041 TI N

Cod.: 922272073 EAN: 8422248198387



NEW

- » Natural gas hob with 4 burners
- » 2 independent pan supports on stainless steel surface
- » One fast burner, two semi-fast burners and one auxiliary burner
- » Total gas power: 7,5 kW

EGX-6041 TI B

Cod.: 922272074 EAN: 8422248198400




NEW

- » Butane gas hob with 4 burners
- » 2 independent pan supports on stainless steel surface
- » One fast burner, two semi-fast burners and one auxiliary burner
- » Total gas power: 7,5 kW

4 ZONES GAS HOB


EGX-6041 TI TR CI N

Cod.: 922272075 EAN: 8422248198395





EGX-6041 TI TR CI B

Cod.: 922272076 EAN: 8422248198405



EGX-6041 TI N

Cod.: 922272077 EAN: 8422248198415



3 ZONES GAS HOB

EGG-6031 TI TR CI N

Cod.: 922272075 EAN: 8422248198417



NEW

- » Natural gas hob with 3 burners
- » Cast iron 2 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), one semi-fast burner and one auxiliary burner
- » Total gas power: 8 kW

EGG-6031 TI TR CI B

Cod.: 922272076 EAN: 8422248198424



NEW

- » Butane gas hob with 3 burners
- » Cast iron 2 independent pan supports on tempered glass surface
- » One triple ring burner (4kW), one semi-fast burner and one auxiliary burner
- » Total gas power: 8 kW

EGX-6031 TI TR CI N

Cod.: 922272077 EAN: 8422248198431



NEW

- » Natural gas hob with 3 burners
- » Cast iron 2 independent pan supports on stainless steel surface
- » One triple ring burner (4kW), one semi-fast burner and one auxiliary burner
- » Total gas power: 8 kW

EGX-6031 TR CI B

Cod.: 922272078 EAN: 8422248198448



NEW

- » Butane gas hob with 3 burners
- » Cast iron 2 independent pan supports on stainless steel surface
- » One triple ring burner (4kW), one semi-fast burner and one auxiliary burner
- » Total gas power: 8 kW

2 ZONES GAS HOB

EGG-3021 TI N

Cod.: 922272079 EAN: 8422248198455



NEW

- » Natural gas hob with 2 burners
- » Cast iron pan support on tempered glass surface
- » One fast burner and one auxiliary burner
- » Total gas power: 4 kW



EGX-3022 TI N

Cod.: 922272080 EAN: 8422248198462



NEW

- » Natural gas hob with 2 burners
- » Pan support on stainless steel surface
- » One fast burner and one auxiliary burner
- » Total gas power: 4 kW






MULTIFUNCTION PYROLITIC

EOE-8411 P X

Cod.: 921270253 EAN: 8422248100304



- » 70 litres independent oven
- » 8 cooking programs and 3 special programs
- » Cold door: 4 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » 1 enamelled tray of 45 mm
- » Simple grid



MULTIFUNCTION PLUS

EOE-7050 FBK

Cod.: 921270258 EAN: 8422248110716



- » 80 litres independent oven
- » 8 Cooking programs
- » Cold door: 3 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » Automatic cleaning program
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid

NEW

EOE-7050 FWH

Cod.: 921270259 EAN: 8422248110723



NEW

EOE-7040 BK

Cod.: 921270263 EAN: 8422248111270



- » 80 litres independent oven
- » 8 Cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » Automatic cleaning program
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid

NEW

MULTIFUNCTION PLUS

EOE-7040 WH

Cod.: 921270261 EAN: 8422248111263



NEW

EOE-7040 X

Cod.: 921270262 EAN: 8422248110754



NEW

MULTIFUNCTION

EOE-6040 X

Cod.: 921270264 EAN: 8422248110396



NEW

EOE-6020 X

Cod.: 921270255 EAN: 8422248110402







NEW

- » 80 litres independent oven
- » 8 Cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » Automatic cleaning program
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid

- » 80 litres independent oven
- » 8 Cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » Automatic cleaning program
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid

- » 80 litres independent oven
- » 7 Cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid

- » 80 litres independent oven
- » 7 Cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » 2 enamelled trays of 50mm and 25 mm
- » Simple grid



STATIC

EOE-5020 X

Cod.: 921270256 EAN: 8422248110419



NEW

- » 62 litres independent oven
- » 4+0 cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » Telescopic guides 50% removables, PSP
- » 1 enamelled tray of 50mm
- » Simple grid

EOE-5010 X

Cod.: 921270260 EAN: 8422248110426



NEW

- » 62 litres independent oven
- » 4+0 cooking programs
- » Cold door: 2 glasses door and tangential ventilation
- » 1 enamelled tray of 25mm

MULTIFUNCTION PLUS

EOE-4530 X

Cod.: 921270252 EAN: 8422248098168



- » 40 litres independent oven, height of 45 cm
- » 6 cooking programs and 2 special program
- » Cold door: 3 glasses door and tangential ventilation
- » Telescopic guides 100% removables, PSCP
- » Enamelled tray of 50 mm
- » Simple grid





MULTIFUNCTION

EOE-4520 X

Cod.: 921270217 EAN: 8435436108891



- » 40 litres independent oven, height of 45 cm
- » 4 cooking programs and 2 special
- » Cold door: 3 glasses door and tangential ventilation
- » Enamelled tray of 50 mm
- » Simple grid



25 L BUILT IN MICROWAVE

EMW-2530-IG XBK

Cod.: 929270348 EAN: 8435436111976



EMW-2530-IG XWH

Cod.: 929270349 EAN: 8435436111983



EMW-2530-IG BK

Cod.: 929270361 EAN: 8422248101882



EMW-2530-IG WH

Cod.: 929270362 EAN: 8422248101899







- » 25 litres, 900 W and with 1200 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector

- » 25 litres, 900 W and with 1200 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector

- » 25 litres, 900 W and with 1200 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector

- » 25 litres, 900 W and with 1200 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector



25 L BUILT IN MICROWAVE

EMW-2510-IG X

Cod.: 929270360 EAN: 8422248083911



23 L BUILT IN MICROWAVE

EMW-2320-IG X

Cod.: 929270347 EAN: 8435436111921



20 L BUILT IN MICROWAVE

EMW-2020-IG BK

Cod.: 929270363 EAN: 8422248101905



EMW-2020-IG WH

Cod.: 929270364 EAN: 8422248101912







- » 25 litres, 900 W and with 1000 W grill built-in microwave
- » 5 levels of power cooking selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector

- » 23 litres, 800 W and with 1200 W grill built-in microwave
- » 6 levels of power cooking selection
- » 2 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector

- » 20 litres, 800 W and with 1000 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill and grill + micro functions
- » Quick start selector
- » Installation suitable for High Furniture

- » 20 litres, 800 W and with 1000 W grill built-in microwave
- » 5 levels of power cooking selection
- » 3 levels of power grill selection
- » Microwave, grill and grill + micro functions
- » Quick start selector
- » Installation suitable for High Furniture



20 L BUILT IN MICROWAVE

EMW-2010-IG XWH

Cod.: 929270352 EAN: 8435436112010



- » 20 litres, 800 W and with 1000 W grill built-in microwave
- » 5 levels of power cooking selection
- » 4 levels of power grill selection
- » Microwave, grill and grill + micro functions

EMW-2010-IG XWH

Cod.: 929270353 EAN: 8435436112027



- » 20 litres, 800 W and with 1000 W grill built-in microwave
- » 5 levels of power cooking selection
- » 4 levels of power grill selection
- » Microwave, grill and grill + micro functions

EMW-2020-IG X

Cod.: 929270344 EAN: 8435436110771







- » 20 litres, 700 W and with 1000 W grill built-in microwave
- » 6 levels of power cooking selection
- » 2 levels of power grill selection
- » Microwave, grill, grill + micro and programmed functions
- » Quick start selector
- » Installation suitable for High Furniture

EMW-2020-I X

Cod.: 929270346 EAN: 8435436111914



- » 20 litres and 700 W built-in microwave
- » 5 levels of power selection
- » Programmed functions
- » Quick start selector
- » Installation suitable for High Furniture



HOB WITH INTEGRATED VENTILATION

EIT-7422 DD B


Cod.: 922272058 EAN: 8422248109659



NEW

- » Frontal bevelled induction hob and cooker hood
- » A energetic efficiency class
- » 6 extraction levels
- » Max / Min extraction rate: 542 / 199 m³/h
- » Max / Min noise levels: 67 / 45 dB(A)

Accessories (Not Included)
Plinth recirculating kit Cod. 02800939
Rectangular duct kit Cod. 02800992



CEILING DECORATIVE

ECC-1832 WH

Cod.: 932271900 EAN: 8435436112379



- » 100cm wide ceiling hood
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

VERTICAL DECORATIVE

ECV-9832 GBK

Cod.: 932271901 EAN: 8435436112386



- » 90 cm wide vertical decorative hood
- » A+ energetic efficiency class
- » 4 extraction levels and booster
- » Max / Min extraction rate: 820 / 200 m³/h
- » Max / Min noise levels: 67 / 40 dB(A)

ECV-9832 GWH

Cod.: 932271902 EAN: 8435436112393



- » 90 cm wide vertical decorative hood
- » A+ energetic efficiency class
- » 4 extraction levels and booster
- » Max / Min extraction rate: 820 / 200 m³/h
- » Max / Min noise levels: 67 / 40 dB(A)

VERTICAL DECORATIVE

ECV-7832 GBK

Cod.: 932271903 EAN: 8435436112409



ECV-7832 GWH

Cod.: 932271904 EAN: 8435436112416



ECV-9831 GBK

Cod.: 932271883 EAN: 8435436108655



ECV-9831 GWH

Cod.: 932271894 EAN: 8435436110474







- » 70 cm wide vertical decorative hood
- » A+ energetic efficiency class
- » 4 extraction levels and booster
- » Max / Min extraction rate: 820 / 200 m³/h
- » Max / Min noise levels: 67 / 40 dB(A)

- » 70 cm wide vertical decorative hood
- » A+ energetic efficiency class
- » 4 extraction levels and booster
- » Max / Min extraction rate: 820 / 200 m³/h
- » Max / Min noise levels: 67 / 40 dB(A)

- » 90cm wide vertical decorative hood
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

- » 90cm wide vertical decorative hood
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)




BOX DECORATIVE

ECB-9831 XGBK

Cod.: 932271905 EAN: 8435436112423



- » 90 cm wide box decorative hood with 4,5 cm wide frontal
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)



ECB-9831 XGWH

Cod.: 932271906 EAN: 8435436112430




- » 90 cm wide box decorative hood with 4,5 cm wide frontal
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

ECB-7831 XGBK

Cod.: 932271907 EAN: 8435436112447



- » 70 cm wide box decorative hood with 4,5 cm wide frontal
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)




ECB-7831 XGWH

Cod.: 932271908 EAN: 8435436112454



- » 70 cm wide box decorative hood with 4,5 cm wide frontal
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 850 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)



BOX DECORATIVE

ECB-9611 X

Cod.: 932271909 EAN: 8435436112461



- » 90 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 70 / 56 dB(A)

ECB-7611 X

Cod.: 932271910 EAN: 8435436112478



- » 70 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 70 / 56 dB(A)

ECB-6611 X

Cod.: 932271911 EAN: 8435436112485







- » 60 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 70 / 56 dB(A)

ECB-9411 X

Cod.: 932271886 EAN: 8435436108686



- » 90 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 400 / 210 m³/h
- » Max / Min noise levels: 62 / 50 dB(A)



BOX DECORATIVE

ECB-7411 X
Cod.: 932271887 EAN: 8435436108693



- » 70 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 400 / 210 m³/h
- » Max / Min noise levels: 62 / 50 dB(A)

ECB-6411 X
Cod.: 932271888 EAN: 8435436108709



- » 60 cm wide box decorative hood with 5,5 cm wide frontal
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 400 / 210 m³/h
- » Max / Min noise levels: 62 / 50 dB(A)

PYRAMIDE DECORATIVE

ECP-9611 X
Cod.: 932271915 EAN: 8435436112522







- » 90 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 71,8 / 57,8 dB(A)

ECP-7611 X
Cod.: 932271916 EAN: 8435436112539



- » 70 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 71,8 / 57,8 dB(A)



PYRAMIDE DECORATIVE

ECP-6611 X
Cod.: 932271917 EAN: 8435436112546



- » 60 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 645 / 385 m³/h
- » Max / Min noise levels: 71,8 / 57,8 dB(A)

ECP-9411 X
Cod.: 932271889 EAN: 8435436108716



- » 90 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 420 / 210 m³/h
- » Max / Min noise levels: 65 / 53 dB(A)

ECP-7411 X
Cod.: 932271890 EAN: 8435436108723







- » 70 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 420 / 210 m³/h
- » Max / Min noise levels: 65 / 53 dB(A)

ECP-6411 X
Cod.: 932271891 EAN: 8435436108730



- » 60 cm wide pyramide decorative hood
- » C energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 420 / 210 m³/h
- » Max / Min noise levels: 65 / 53 dB(A)



FURNITURE BUILT-IN

ECG-9832 X

Cod.: 932271918 EAN: 8435436112553



- » 90 cm wide furniture built-in hood
- » A energetic efficiency class
- » 2 extraction levels and booster
- » Max / Min extraction rate: 820 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

ECG-8632 GBK

Cod.: 932271941 EAN: 8422248198493



NEW

- » 70 cm wide furniture built-in hood
- » B energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 532 / 237 m³/h
- » Max / Min noise levels: 68 / 47 dB(A)

ECG-8632 GWH

Cod.: 932271942 EAN: 8422248198509



NEW

- » 70 cm wide furniture built-in hood
- » B energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 532 / 237 m³/h
- » Max / Min noise levels: 68 / 47 dB(A)

ECG-5831 GBK

Cod.: 932271897 EAN: 8435436110948



- » 60 cm wide furniture built-in hood
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 820 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

FURNITURE BUILT-IN

ECG-5831 GWH

Cod.: 932271898 EAN: 8435436110955



ECT-5811 X

Cod.: 932271899 EAN: 8435436110962



ECT-6411 X

Cod.: 932271920 EAN: 8435436112577



ECT-6411 WH

Cod.: 932271919 EAN: 8435436112560







- » 60 cm wide furniture built-in hood
- » A energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 820 / 340 m³/h
- » Max / Min noise levels: 67 / 50 dB(A)

- » 60 cm wide furniture built-in hood
- » C energetic efficiency class
- » 3 extraction levels and booster
- » Max / Min extraction rate: 645 / 300 m³/h
- » Max / Min noise levels: 65 / 50 dB(A)

- » 60 cm wide telescopic hood
- » C energetic efficiency class
- » 2 extraction levels
- » Max / Min extraction rate: 340 / 150 m³/h
- » Max / Min noise levels: 57 / 45,5 dB(A)

- » 60 cm wide telescopic hood
- » C energetic efficiency class
- » 2 extraction levels
- » Max / Min extraction rate: 340 / 150 m³/h
- » Max / Min noise levels: 57 / 45,5 dB(A)



STANDARD

ECS-6213 X

Cod.: 932271921 EAN: 8422248087391





ECS-6213 WH

Cod.: 932271922 EAN: 8422248087407



- » 60 cm wide standard hood
- » D energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 300 / 100 m³/h
- » Max / Min noise levels: 67 / 60 dB(A)
- » 60 cm wide standard hood
- » D energetic efficiency class
- » 3 extraction levels
- » Max / Min extraction rate: 300 / 100 m³/h
- » Max / Min noise levels: 67 / 60 dB(A)



TOTAL NO FROST

ESS-1832 NF EX

Cod.: 924271322 EAN: 8422248343114



NEW

- » 1.79m Side by side fridge
- » Energy efficiency F
- » Refrigerator: 2 Fresh Box drawer
- » Freezer: 2 large-capacity drawers
- » Net capacity (L): 519 (334+185)
- » LED lighting

EFC-2035 NF EX

Cod.: 924271321 EAN: 8422248343107



NEW

- » 2m combi fridge
- » Energy efficiency D
- » Refrigerator: 1 low temperature drawer and 1 Fresh Box drawer
- » Freezer: 3 drawers
- » Net capacity (L): 336 (238+98)
- » LED lighting

EFC-1822 NF GBK

Cod.: 924271509 EAN: 8422248343084



NEW

- » 1.86m combi with black safety glass door fridge
- » Energy efficiency E
- » Refrigerator: 1 low temperature drawer and 1 Fresh Box drawer
- » Freezer: 3 drawers
- » Net capacity (L): 304 (207+97)
- » LED lighting

METAL DUAL NO FROST

EFC-7832 DNF EX

Cod.: 924271263 EAN: 8422248097017



- » 2m and 70cm wide combi fridge
- » Energy efficiency F
- » Refrigerator: 1 low temp drawer and 2 Fresh Box
- » Freezer: 2 drawers and separate tray
- » Net capacity (L): 435 (316+119)
- » LED lighting

TOTAL NO FROST

EFC-2032 NF EX

Cod.: 924271264 EAN: 8422248097024



- » 2m combi fridge
- » Energy efficiency E
- » Refrigerator: 1 low temperature drawer and 1 Fresh Box drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 330 (247 + 83)
- » LED lighting

EFC-2032 NF WH

Cod.: 924271265 EAN: 8422248097031



- » 2m combi fridge
- » Energy efficiency E
- » Refrigerator: 1 low temperature drawer and 1 Fresh Box drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 330 (247 + 83)
- » LED lighting

EFC-1833 NF EX

Cod.: 924271320 EAN: 8422248343091



NEW





- » 1.86m combi fridge
- » Energy efficiency D
- » Refrigerator: 1 low temperature drawer and 1 Fresh Box drawer
- » Freezer: 3 drawers
- » Net capacity (L): 304 (207+97)
- » LED lighting

EFC-1832 NF EX

Cod.: 924271266 EAN: 8422248097048



- » 1.88m combi fridge
- » Energy efficiency E
- » Refrigerator: 2 Fresh Box drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 310 (224 + 86)
- » LED lighting



TOTAL NO FROST

EFC-1832 NF WH

Cod.: 924271267 EAN: 8422248097055



- » 1.88m combi fridge
- » Energy efficiency E
- » Refrigerator: 2 Fresh Box drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 310 (224 + 86)
- » LED lighting

EFC-1821 NF EX

Cod.: 924271268 EAN: 8422248097062



- » 1.88m combi fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 310 (224+86)
- » LED lighting

EFC-1821 NF WH

Cod.: 924271269 EAN: 8422248097079



- » 1.88m combi fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Freezer: 3 large-capacity drawers
- » Net capacity (L): 310 (224+86)
- » LED lighting





EFC-1822 NF WH

Cod.: 924271306 EAN: 8422248198578



NEW

- » 1.81m combi fridge
- » Energy efficiency F
- » Refrigerator: 1 Fresh Box
- » Freezer: 3 drawers
- » Net capacity (L): 251 (180+71)
- » LED lighting



STATIC COMBI

EFC-1821 ST WH

Cod.: 924271305 EAN: 8422248198561



NEW

BUILT IN

EFC-1711-I

Cod.: 924271350 EAN: 8422248106573



STATIC TWO DOORS

EFT-1711 EX

Cod.: 924271272 EAN: 8422248097109



EFT-1711 WH

Cod.: 924271273 EAN: 8422248097116







- » 1.80m combi fridge
- » Energy efficiency F
- » Refrigerator: 1 Fresh Box
- » Freezer: 3 drawers
- » Net capacity (L): 262 (191+71)
- » LED lighting

- » 1.77m built in combi fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Freezer: 3 drawers
- » Net capacity (L): 249 (179+70)
- » LED lighting

- » 1.77 m static two doors fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Net capacity (L): 294 (225+ 69)
- » Inner light

- » 1.77 m static two doors fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Net capacity (L): 294 (225+ 69)
- » Inner light



STATIC TWO DOORS

EFT-1611 WH

Cod.: 924271274 EAN: 8422248097123



- » 1.60 m static two doors fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Net capacity (L): 235 (194 + 41)
- » Inner light

EFT-1411 WH

Cod.: 924271275 EAN: 8422248097130



- » 1.44 m static two doors fridge
- » Energy efficiency F
- » Refrigerator: 1 vegetable drawer
- » Net capacity (L): 204 (163 + 41)
- » Inner light

TOTAL NO FROST

EFS-1823 NF EX

Cod.: 924271311 EAN: 8422248108720



NEW

- » 1.85 m one door fridge
- » Energy efficiency E
- » 1 large capacity vegetable drawer
- » 1 large capacity low-temp drawer
- » Net capacity (L): 362
- » LED lighting
- » Includes kit to assemble a Door on Door system with model EZS-1823 NF EX

EZS-1823 NF EX

Cod.: 924271310 EAN: 8422248108713



NEW

- » 1.85 m one door freezer
- » Energy efficiency E
- » 5 drawers, two of them with large capacity
- » Net capacity (L): 273
- » LED lighting
- » Includes kit to assemble a Door on Door system with model EFS-1823 NF EX

STATIC TABLE TOP

EFS-0813 WH

Cod.: 924271307 EAN: 8422248198585



NEW



EZS-0813 WH

Cod.: 924271308 EAN: 8422248198592



NEW



EFS-0814 WH

Cod.: 924271316 EAN: 8422248343664



NEW

EFS-0911 WH

EFS-0911 WH

Cod.: 924271289 EAN: 8422248101714







- » 0.85 m table top static fridge
- » Energy efficiency F
- » 1 large capacity vegetable box
- » Net capacity (L): 127
- » LED lighting

- » 0.85 m table top freezer
- » Energy efficiency F
- » 4 large-capacity drawers
- » Net capacity (L): 91

- » 0.85 m table top static fridge with freezer
- » Energy efficiency F
- » 1 large capacity vegetable box
- » Net capacity (L): 98 (84 + 14)
- » LED lighting

- » 0.85 m table top static fridge with 0° chiller compartment.
- » Lower depth
- » Energy efficiency F
- » 1 large capacity vegetable box
- » Net capacity (L): 93



STATIC TABLE TOP

EFS-0411 WH

Cod.: 924271299 EAN: 8422248101721



- » 0.48 m table top static fridge with 0° chiller compartment.
- » Lower depth
- » Energy efficiency F
- » Net capacity (L): 47

STATIC BUILT IN

EFS-0511 I

Cod.: 924271290 EAN: 8422248099639



- » 0.815 m built in static fridge
- » Energy efficiency F
- » 1 large capacity vegetable box
- » Net capacity (L): 110
- » LED lighting

EFS-0512 I

Cod.: 924271291 EAN: 8422248099646







- » 0.815 m built in static fridge with freezer
- » Energy efficiency F
- » 1 large capacity vegetable box
- » Net capacity (L): 100
- » LED lighting

EZS-0511 I

Cod.: 924271292 EAN: 8422248099653



- » 0.815 m built in static freezer
- » Energy efficiency F
- » 3 large-capacity drawers
- » Net capacity (L): 90



TOTAL NO FROST

EZS-1732 NF

Cod.: 924271282 EAN: 8422248098540



- » 1.72 m TOTAL no frost freezer
- » Energy efficiency E
- » 7 large-capacity drawers
- » Net capacity (L): 238
- » LED lighting

DEFROST

EZS-1412

Cod.: 924271281 EAN: 8422248098533



- » 1.42 m static freezer
- » Energy efficiency E
- » 5 large-capacity drawers
- » Net capacity (L): 160

DEFROST FREEZER

EZH-5011

Cod.: 928271180 EAN: 8422248100755






- » 0.86 m horizontal freezer
- » Energy efficiency F
- » DUAL function
- » 1 baskets
- » Net capacity (L): 472
- » LED lighting

EZH-4211

Cod.: 928271170 EAN: 8422248098557



- » 0.82 m horizontal freezer
- » Energy efficiency F
- » 1 baskets
- » Net capacity (L): 418



DEFROST FREEZER

EZH-4111

Cod.: 928271179 EAN: 8422248100717



- » 0.86 m horizontal freezer
- » Energy efficiency F
- » DUAL function
- » 1 baskets
- » Net capacity (L): 411
- » LED lighting

EZH-3511

Cod.: 928271178 EAN: 8422248100731



- » 0.86 m horizontal freezer
- » Energy efficiency F
- » DUAL function
- » 1 baskets
- » Net capacity (L): 349
- » LED lighting

EZH-3011

Cod.: 928271171 EAN: 8422248098564



- » 0.85 m horizontal freezer
- » Energy efficiency F
- » 1 baskets
- » Net capacity (L): 290

EZH-2811

Cod.: 928271177 EAN: 8422248100724



- » 0.86 m horizontal freezer
- » Energy efficiency F
- » DUAL function
- » 1 baskets
- » Net capacity (L): 275
- » LED lighting

DEFROST FREEZER

EZH-2014

Cod.: 928271176 EAN: 8422248100694



- » 0.86 m horizontal freezer
- » Energy efficiency F
- » DUAL function
- » 1 baskets
- » Net capacity (L): 209
- » LED lighting

EZH-0911

Cod.: 928271175 EAN: 8422248100748






- » 0.83 m horizontal freezer
- » Energy efficiency E
- » Net capacity (L): 88

EZH-0611

Cod.: 928271174 EAN: 8422248100687



- » 0.83 m horizontal freezer
- » Energy efficiency E
- » Net capacity (L): 59



60 CM FREE STANDING

EDW-6242 X

Cod.: 926270299 EAN: 8422248096676



EDW-6231 X


Cod.: 926270320 EAN: 8422248110372



NEW

EDW-6231 WH

Cod.: 926270321 EAN: 8422248110389



NEW

EDW-6230 X

Cod.: 926270300 EAN: 8422248096683







- » 14 place settings - 7 programs
- » 3rd Cutlery rack
- » Energy Efficiency C
- » 47 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass, Prewash and Automatic
- » Digital display
- » Deferred programming 1-24 h

- » 13 place settings - 7 programs
- » 3rd Cutlery rack
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h

- » 13 place settings - 7 programs
- » 3rd Cutlery rack
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h


- » 13 place settings - 7 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h



60 CM FREE STANDING

EDW-6230 WH

Cod.: 926270301 EAN: 8422248096690



EDW-6130 X

Cod.: 926270306 EAN: 8422248096744



EDW-6130 WH

Cod.: 926270307 EAN: 8422248096751



EDW-6120 WH

Cod.: 926270308 EAN: 8422248096768







- » 13 place settings - 7 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h

- » 13 place settings - 6 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30' and Glass
- » LED indicators: programs, salt and rinse aid

- » 13 place settings - 6 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30' and Glass
- » LED indicators: programs, salt and rinse aid

- » 12 place settings - 4 programs
- » Energy Efficiency E
- » 52 dB (A) of acoustic power
- » Special programs: Express 90' and Fast 30'
- » LED indicators: programs, salt and rinse aid



45 CM FREE STANDING

EDW-4710 X

Cod.: 926270302 EAN: 8422248096706



- » 10 place settings - 7 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h

EDW-4710 WH

Cod.: 926270303 EAN: 8422248096713



- » 10 place settings - 7 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30', Glass and Prewash
- » Digital display
- » Deferred programming 1-24 h

EDW-4610 X

Cod.: 926270304 EAN: 8422248096720



- » 10 place settings - 6 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30' and Glass
- » LED indicators: programs, salt and rinse aid

EDW-4610 WH

Cod.: 926270305 EAN: 8422248096737



- » 10 place settings - 6 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30' and Glass
- » LED indicators: programs, salt and rinse aid

60 CM BUILT IN

EDB-6240-I SL

Cod.: 926270315 EAN: 8422248101769



- » 14 place settings - 6 programs
- » 3rd Cutlery rack
- » Energy Efficiency E
- » 47 dB (A) of acoustic power
- » Sliding door
- » Special programs: Express 90', Fast 30' and Glass
- » Digital display
- » Deferred programming 1-24 h

EDB-6130-I

Cod.: 926270312 EAN: 8422248097260



- » 13 place settings - 5 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » 5 programs
- » Special programs: Express 90' and Fast 30'
- » LED indicators: programs, salt and rinse aid

45 CM BUILT IN

EDB-4710-I SL

Cod.: 926270316 EAN: 8422248101776







- » 10 place settings - 6 programs
- » 3rd Cutlery rack
- » Energy Efficiency E
- » 47 dB (A) of acoustic power
- » Sliding door
- » Special programs: Express 90', Fast 30' and Glass
- » Digital display
- » Deferred programming 1-24 h

EDB-4610-I

Cod.: 926270311 EAN: 8422248096805



- » 10 place settings - 5 programs
- » Energy Efficiency E
- » 49 dB (A) of acoustic power
- » Special programs: Express 90', Fast 30' and Glass
- » LED indicators: programs, salt and rinse aid



WASHING MACHINE

EWF-1710 WH

Cod.: 925270511 EAN: 8422248098304



- » 1 to 10 kilos capacity
- » 1.500 rpm maximum spin speed
- » Energy class B
- » Inverter motor with high energy efficiency
- » 15 washing programmes

EWF-1482 WH

Cod.: 925270500 EAN: 8422248096867



- » 1 to 8 kilos capacity
- » 1.400 rpm maximum spin speed
- » Energy class B
- » Inverter motor with high energy efficiency
- » 16 washing programmes

EWF-1481 WH

Cod.: 925270510 EAN: 8422248098298







- » 1 to 8 kilos capacity
- » 1.400 rpm maximum spin speed
- » Energy class E
- » 23 washing programmes

EWF-1470 X

Cod.: 925270502 EAN: 8422248096881



- » 1 to 7 kilos capacity
- » Stainless Steel finished
- » 1.400 rpm maximum spin speed
- » Energy class B
- » Inverter motor with high energy efficiency
- » 16 washing programmes



WASHING MACHINE

EWF-1470 WH

Cod.: 925270503 EAN: 8422248096898



- » 1 to 7 kilos capacity
- » 1.400 rpm maximum spin speed
- » Energy class E
- » 23 washing programmes

EWF-1060 WH

Cod.: 925270507 EAN: 8422248096935



- » 1 to 6 kilos capacity
- » 1.000 rpm maximum spin speed
- » Energy class E
- » Stop/Go Function
- » 23 washing programmes

BUILT IN WASHER

EWF-1480-I

Cod.: 925270506 EAN: 8422248096928



- » 1 to 8 kilos capacity
- » 1.400 rpm maximum spin speed
- » Energy class B
- » Inverter motor with high energy efficiency
- » 16 washing programmes





BUILT IN WASHER-DRYER

EWS-1480-I

Cod.: 925270505 EAN: 8422248096911



- » 1 to 8 kilos washing capacity and 1 to 6 kilos drying capacity
- » 1.400 rpm maximum spin speed
- » Energy class B/E
- » Inverter motor with high energy efficiency
- » 16 washing programmes




DRYER

ESC-8000 WH

Cod.: 936270483 EAN: 8435436110467



- » 1 to 8 kg dryer capacity
- » Energy efficiency class: B
- » Condensation dryer system
- » Variable consumption depending on load
- » Reversing system: alternate drum rotation for uniform drying
- » Number of programmes: 16



UNDERMOUNT

MAKALU BE 50X40

1C R-10

Cod.: 950270029 EAN: 8422248081177



- » 1,2 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square with inverted pyramid surface bowl
- » 20 cm bowl depth
- » Noise absorber foam
- » Bowl anti condensation coating
- » Installation in 60 cm furniture

MAKALU BE 45X40

1C R-10

Cod.: 950270031 EAN: 8422248081191



- » 1,2 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square with inverted pyramid surface bowl
- » 20 cm bowl depth
- » Noise absorber foam
- » Bowl anti condensation coating
- » Installation in 60 cm furniture

MAKALU BE 40X40

1C PLUS R-10

Cod.: 950270033 EAN: 8422248081450



- » 1,2 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square with inverted pyramid surface bowl
- » 25 cm bowl depth
- » Noise absorber foam
- » Bowl anti condensation coating
- » Installation in 60 cm furniture

MAKALU BE 40X40

1C R-10

Cod.: 950270027 EAN: 8422248081153



- » 1,2 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square with inverted pyramid surface bowl
- » 20 cm bowl depth
- » Noise absorber foam
- » Bowl anti condensation coating
- » Installation in 50 cm furniture

UNDERMOUNT

FUJI BE 50X40 1C

Cod.: 950270023 EAN: 8422248081443



- » 0,7 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square bowl
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 60 cm furniture

FUJI BE PLUS 40X40 1C

Cod.: 950270025 EAN: 8422248081139



- » 0,7 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square bowl
- » 20 cm bowl depth
- » Noise absorber foam
- » Installation in 50 cm furniture

FUJI BE 40X40 1C

Cod.: 950270035 EAN: 8422248093309







- » 0,7 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square bowl
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 50 cm furniture

FUJI BE 34X40 1C

Cod.: 950270019 EAN: 8422248081085



- » 0,7 mm thickness 304 stainless steel undermount sink instalation sink
- » 1 square bowl
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 45 cm furniture



COUNTERTOP

VELETA SE 80 2C

Cod.: 950270003 EAN: 8422248080927



VELETA SE 86 1C1E ED

Cod.: 950270043 EAN: 8422248198288



NEW

- » 0,8 mm thickness 304 stainless steel built-in countertop sink
- » 2 square bowls
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 80 cm furniture

VELETA SE 86 1C1E EI

Cod.: 950270037 EAN: 8422248112529




NEW

- » 0,8 mm thickness 304 stainless steel built-in countertop sink
- » 1 square bowl and 1 draining rack
- » Right draining rack
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 45 cm furniture

VELETA SE 80 1C1E REV

Cod.: 950270015 EAN: 8422248081047



- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 square bowl and 1 draining rack
- » Left draining rack
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 50 cm furniture

COUNTERTOP

VELETA SE 50 1C

Cod.: 950270017 EAN: 8422248081061



K2 SE 84 2C

Cod.: 950270009 EAN: 8422248080989



K2 SE 84 1C1E REV

Cod.: 950270011 EAN: 8422248081009



K2 SE 49 1C

Cod.: 950270042 EAN: 8422248190657







NEW

- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 square bowl
- » 19 cm bowl depth
- » Noise absorber foam
- » Installation in 50 cm furniture

- » 0,8 mm thickness 304 stainless steel built-in countertop sink
- » 2 round bowls
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 80 cm furniture

- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 round bowl and 1 draining rack
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 45 cm furniture

- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 round bowl
- » Noise absorber foam
- » 20 cm bowl depth
- » Installation in 45 cm furniture



COUNTERTOP

K2 SE 45 1C

Cod.: 950270013 EAN: 8422248081023




- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 round bowl
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 45 cm furniture

K2 SE 47 1C

Cod.: 950270005 EAN: 8422248080941



- » 0,7 mm thickness 304 stainless steel built-in countertop sink
- » 1 square bowl
- » 18 cm bowl depth
- » Noise absorber foam
- » Installation in 50 cm furniture



SEMI-PROFESSIONAL

YOSEMITE PRO

Cromo Cod.: 951270016 EAN: 8422248102261



- » 304 stainless steel fixing-tap with satin finish style
- » Removable and rotatory 360° curved high semi-professional spout
- » Handle control on the right side of the tap
- » Shower function

VICTORIA CROMO

Cod.: 951270020 EAN: 8422248110457



NEW

- » Two color brass fixing-tap with chromed finish style
- » Removable and rotatory 360° curved high semi-professional spout
- » Handle control on the right side of the tap
- » Shower function

HIGH SPOUT

MARO CROMO

Cod.: 951270021 EAN: 8422248110464



NEW

- » Brass fixing-tap with chromed finish style
- » Removable and rotatory 360° L line form, high spout
- » Ceramic cartridge
- » Cold start
- » Revolving stem 360°
- » Anti scale areator with 5.7l/min flow limit





NIAGARA INOX

Cod.: 951270022 EAN: 8422248110471



NEW

- » 304 stainless steel fixing-tap with satin finish style
- » Stainless Steel tap
- » Ceramic cartridge
- » Cold start
- » Revolving stem 360°
- » Anti scale areator with 5.7l/min flow limit



HIGH SPOUT

NIAGARA CROMO

Cod.: 951270023 EAN: 8422248110488



NEW

- » Brass fixing-tap with chromed finish style
- » Ceramic cartridge
- » Cold start
- » Revolving stem 360°
- » Anti scale areator with 5.7l/min flow limit

IGUAZU CROMO

Cod.: 951270001 EAN: 8422248083683



- » Brass fixing-tap with chromed finish style
- » Rotatory 360° curved high spout
- » Handle control on the frontal of the tap

LOW SPOUT




SL CROMO

Cod.: 951270024 EAN: 8422248110495



NEW

- » Brass fixing-tap with chromed finish style
- » Ceramic cartridge
- » Revolving stem 360°
- » Anti scale areator with 5.7l/min flow limit







TECHNICAL INFORMATION

Code	922272058	922272023	922272024	922272052	922272019	922272040	922272043	922272044	922272014	
EAN	8422248109659	8435436000003	8422248098946	8422248109581	8422248091190	8422248108546	8422248108584	8422248108676	8435436112683	
Model	EIT-7422 DD B	EIM-9530 R	EIM-8430 R	EIM-6422 B	EIM-6331 HT BQ B	EIMS-6332 B	EIMS-6330 B BK	EIMS-6330 B WH	EIM-6330 B	
Type										
Product fiche										
Cooking zones	4	5	4	4	3	3	3	3	3	
Right front zone: Diameter (mm)	190x220	210x200	180	180	300	-	-	-	-	
Right front zone: Power (kW)	2,1	2	1,2	1,2	2,5	-	-	-	-	
Right front zone: Booster (kW)	3,7	2,8	1,5	-	3,5	-	-	-	-	
Right front zone: Consumption (Wh/kg)	166,2	182,7	179,5	195,4	199,3	-	-	-	-	
Right rear zone: Diameter (mm)	190x220	210x200	-	200	-	320/180	300/180	300/180	300	
Right rear zone: Power (kW)	2,1	1,5	-	1,8	-	3/1,5	3/1,5	3/1,5	2,3	
Right rear zone: Booster (kW)	3,7	2	-	-	-	3,6/1,8	3,6/1,8	3,6/1,8	3	
Right rear zone: Consumption (Wh/kg)	166,2	182,9	-	180,8	-	175,4	180,8	180,8	180,8	
Central front zone: Diameter (mm)	-	-	-	-	-	-	-	-	-	
Central front zone: Power (kW)	-	-	-	-	-	-	-	-	-	
Central front zone: Booster (kW)	-	-	-	-	-	-	-	-	-	
Central front zone: Consumption (Wh/kg)	-	-	-	-	-	-	-	-	-	
Central rear zone: Diameter (mm)	-	300	300	-	-	-	-	-	-	
Central rear zone: Power (kW)	-	2,3	2,3	-	-	-	-	-	-	
Central rear zone: Booster (kW)	-	3	3	-	-	-	-	-	-	
Central rear zone: Consumption (Wh/kg)	-	216,3	216,3	-	-	-	-	-	-	
Front left zone: Diameter (mm)	190x220	210x200	210x200	220	190	210	210	210	220	
Front left zone: Power (kW)	2,1	1,5	1,5	2,3	2	2,3	2,3	2,3	2,3	
Front left zone: Booster (kW)	3,7	2	2	-	2,8	2,6	2,6	2,6	2,6	
Front left zone: Consumption (Wh/kg)	166,2	182,9	182,9	182,9	185,8	191,5	184,1	184,1	184,1	
Left rear zone: Diameter (mm)	190x220	210x200	210x200	180	190	180	180	180	160	
Left rear zone: Power (kW)	2,1	2	2	1,2	1,5	1,2	1,2	1,2	1,2	
Left rear zone: Booster (kW)	3,7	2,8	2,8	-	2	1,5	1,5	1,5	1,5	
Left rear zone: Consumption (Wh/kg)	166,2	182,7	182,7	183,4	181,7	194,8	181,7	181,7	181,7	
Energy consumption of the hob (Wh/kg)	664,8	189,5	190,4	185,6	184,7	187,2	182,2	182,2	182,2	
Dimensions										
Product width (mm)	770	900	850	590	590	630	590	590	590	
Product depth (mm)	520	520	520	520	520	520	520	520	520	
Product height (mm)	250	60	60	54	60	60	60	60	54	
Built-in width (mm)	750	875	745	565	565	565	565	565	565	
Built-in depth (mm)	490	495	495	495	495	495	495	495	495	
Ventilation slot (mm)	5	5	5	5	5	5	5	5	5	
Fixing system	Quick-fix System	Quick-fix System	Quick-fix System	Quick-fix System	Quick-fix System	Quick-Fix System	Quick-Fix System	Quick-Fix System	Quick-fix System	
Finishing										
Colour	Black	Black	Black	Black	Black	Black	Black	White	Black	
Aesthetic	Front bevel	Front bevel	Front bevel	Front bevel	Front bevel	Front bevel	Front bevel	Front bevel	Front bevel	
Control										
Control type	Touch	Independent Slider for each area	Independent Slider for each area	Multi Slider Touch	Multi Slider Touch	Independent Slider for each area	Independent Slider for each area	Independent Slider for each area	Multi Slider Touch	
Power selection (+/-)	Centralized	Individual per zone	Individual per zone	Individual per zone	Individual per zone	Individual per zone	Individual per zone	Individual per zone	Individual per zone	
Power levels	9 + Booster	9 + Booster	9 + Booster	9 + Booster	9 + Booster	9 + Booster	9 + Booster	9 + Booster	9 + Booster	
Timer	Yes	Yes	Yes	-	Yes	Yes	Yes	Yes	Yes	
Countdown alarm	Yes	Yes	Yes	-	Yes	Yes	Yes	Yes	Yes	
Power management	No	No	No	-	No	Yes	Yes	Yes	No	
Security										
Safety lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Residual heat indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Automatic pan detection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Automatic safety switch-off	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Protection against liquid spillage	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Electrical connection										
Nominal voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	
Mains frequency (Hz)	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60	
Max Product power (kW)	9	9	9	7,1	7	7,1	7,1	7,1	7,1	

	922272048 8422248109543	922272018 8422248091206	922272046 8422248109383	922272039 8422248108416	922272051 8422248109574	922272047 8422248109390	922272041 8422248108553	922272049 8422248109550	922272050 8422248109567	922272064 8422248111256
	EIM-6328 B WH	EIR-6331 B	EIS-6330 R	EIT-6329 B	EIT-6328 R	EIS-3220 B	EVT-6422 R	EVT-6328 B	EVT-6328 R	EVT-3220 B /B
Induction	Induction	Induction	Induction	Induction	Induction	Induction	Radiant	Radiant	Radiant	Radiant
3	3	3	3	3	2	4	3	3	2	
-	-	-	-	-	180	185	185	185		
-	-	-	-	-	1,2	1,8	1,8	1,8		
-	-	-	-	-	1,5	-	-	-		
-	-	-	-	-	183,5	195,4	147,1	190,8		
280	300	300	280	280	200	150	150	150		
2,3	2,3	2,3	2,3	2,3	2	1,2	1,2	1,2		
3	3	3	3	3	2,3	-	-	-		
180,8	180,8	180,8	180,8	180,8	180,9	205,3	147	185,4		
-	-	-	-	-	-	-	-	-	159	
-	-	-	-	-	-	-	-	-	-	1,2
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	190,5
-	-	-	-	-	-	-	-	-	-	190/120
-	-	-	-	-	-	-	-	-	-	2,0/1,0
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	181,3
220	220	220	210	220	-	150	-	-		
2,3	2,3	2,3	2,3	2,3	-	1,2	-	-		
2,6	2,6	2,6	2,6	2,6	-	-	-	-		
184,1	184,1	184,1	184,1	184,1	-	185,4	-	-		
160	160	160	160	160	-	215	280/220/155	280/220		
1,2	1,2	1,2	1,2	1,2	-	2,3	2,7/1,95/1,05	2,7/1,5		
1,5	1,5	1,5	1,5	1,5	-	-	-	-		
181,7	181,7	181,7	181,7	181,7	-	189,9	140,1	193,5		
182,2	182,2	182,2	182,2	182,2	182,2	194	144,7	189,9	185,9	
590	590	590	590	590	290	590	590	590	290	
520	520	520	520	520	520	520	520	520	520	
54	51	54	54	54	70	63	47	63	50	
565	560	565	565	565	265	560	560	560	265	
495	490	495	495	495	495	490	490	490	495	
5	5	5	5	5	-	-	-	-	-	
Quick-fix System	Quick-fix System	Quick-fix System	Quick-fix System	Quick-fix System	Quick-Fix System	Quick-Fix System	Quick-Fix System	Quick-Fix System	Quick-Fix System	
White	Black	Black	Black	Black	Black	Black	Black	Black	Black	
Front bevel	Front bevel	Rounded	Front bevel	Rounded	Front bevel	Rounded	Front bevel	Rounded	Front bevel	
Multi Slider Touch Individual per zone 9 + Booster Yes	Round Slider Touch Centralized 9 + Booster Yes	Mono Slider Touch Centralized 9 + Booster Yes	Multi Touch Individual per zone 9 + Booster Yes	Touch Centralized 9 + Booster Yes	Mono Slider Touch Centralized 9 + Booster Yes					
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
No	No	No	No	No	No	No	No	No	No	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	
50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60	
7,1	7,1	7,1	7,1	7,1	3,5	6,5	5,7	5,7	3	

Code	922272067	922272068	922272069	922272070	922272071	922272072
EAN	8422248198318	8422248198325	8422248198332	8422248198349	8422248198363	8422248198370
Model	EGG-9051 TI TR CI N	EGG-7551 TI TR CI N	EGG-6041 TI TR CI N	EGG-6041 TI TR CI B	EGX-6041 TI TR CI N	EGX-6041 TI TR CI B
Type (Glass /St.Steel /Enamelled)	Glass	Glass	Glass	Glass	S. Steel	S. Steel
Product fiche						
Suitable for City Gas	Yes	Yes	Yes	No	Yes	No
Suitable for LPG	No	No	No	Yes	No	Yes
Number of burners	5	5	4	4	4	4
Triple ring power [kW]	4	4	4	4	3,3	3,3
Fast power [kW]	3	3	3	3	3	3
Semi-fast power [kW]	1,75	1,75	1,75	1,75	1,75	1,75
Semi-fast power [kW]	1,75	1,75	-	-	-	-
Auxiliar power [kW]	1	1	1	1	1	1
Triple ring consumption (l/h)	381 l/h	381 l/h	381 l/h	291 g/h	333 l/h	255 g/h
Fast consumption (l/h)	238 l/h	238 l/h	238 l/h	182 g/h	238 l/h	182 g/h
Semi-fast 1 consumption (l/h)	166 l/h	166 l/h	166 l/h	127 g/h	166 l/h	127 g/h
Semi-fast 2 consumption (l/h)	166 l/h	166 l/h	-	-	-	-
Auxiliar consumption (l/h)	95 l/h	95 l/h	95 l/h	73 g/h	95 l/h	73 g/h
Dimensions						
Appliance width [mm]	870	690	580	580	580	580
Appliance depth [mm]	520	520	520	520	510	510
Appliance height [mm]	51,5	51,5	51,5	51,5	48	48
Built-in width [mm]	840	560	560	560	560	560
Built-in depth [mm]	490	490	490	490	490	490
Anchor system	Fixation brackets					
Characteristics						
Plug-in autoignition	Yes	Yes	Yes	Yes	Yes	Yes
Enamelled Grills/Burners	No	No	No	No	No	No
Cast Iron Grills/Burners	Yes	Yes	Yes	Yes	Yes	Yes
Security						
Safety valve	Yes	Yes	Yes	Yes	Yes	Yes
Electrical Connection						
Nominal voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240
Mains frequency (Hz)	50-60	50-60	50-60	50-60	50-60	50-60
Product power (kW)	11,5	11,5	9,75	9,75	9,05	9,05
Accessories						
LPG butane/natural kit conversor (included)	Yes	Yes	Yes	Yes	Yes	Yes

	922272073 8422248198387 EGX-6041 TI N	922272074 8422248198400 EGX-6041 TI B	922272075 8422248198417 EGG-6031 TI TR CI N	922272076 8422248198424 EGG-6031 TI TR CI B	922272077 8422248198431 EGX-6031 TI TR CI N	922272078 8422248198448 EGX-6031 TI TR CI B	922272079 8422248198455 EGG-3021 TI N	922272080 8422248198462 EGX-3022 TI N
	S. Steel	S. Steel	Glass	Glass	S. Steel	S. Steel	Glass	S. Steel
	Yes	No	Yes	No	Yes	No	Yes	Yes
	No	Yes	No	Yes	No	Yes	No	No
	4	4	3	3	3	3	2	2
	-	-	4	4	4	-	-	-
	3	3	3	3	3	3	3	3
	1,75	1,75	-	-	-	-	-	-
	1,75	1,75	-	-	-	-	-	-
	1	1	1	1	1	1	1	1
	-	-	381 l/h	291 g/h	381 l/h	291 g/h	-	-
	238 l/h	182 g/h	238 l/h	182 g/h	238 l/h	182 g/h	238 l/h	286 l/h
	166 l/h	127 g/h	-	-	-	-	-	-
	166 l/h	127 g/h	-	-	-	-	-	-
	95 l/h	73 g/h	95 l/h	73 g/h	95 l/h	73 g/h	95 l/h	95 l/h
	580	580	580	580	580	580	290	300
	510	510	520	520	510	510	520	520
	48	48	51,5	51,5	48	48	51,5	45
	560	560	560	560	560	560	276	280
	490	490	490	490	490	490	490	480
	Fixation brackets	Fixation brackets	Fixation brackets	Fixation brackets	Fixation brackets	Fixation brackets	Fixation brackets	Fixation brackets
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	No	No	No	No	No	Yes
	No	No	Yes	Yes	Yes	Yes	Yes	No
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60
	7,5	7,5	8	8	8	8	4	4
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Code EAN Model	921270253 8422248100304 EOE-8411 P X	921270258 8422248110716 EOE-7050 FBK	921270259 8422248110723 EOE-7050 FWH	921270263 8422248111270 EOE-7040 BK	921270261 8422248111263 EOE-7040 WH	921270262 8422248110754 EOE-7040 X
Type (Electric/Gas)	Electric	Electric	Electric	Electric	Electric	Electric
Product file						
Energy efficiency index (IEE conventional/multifunction)	94	tbc	tbc	tbc	tbc	tbc
Energy efficiency Class	A	A	A	A	A	A
Conventional mode energy consumption (according to EN 50304/2009) [kWh]	0,99	tbc	tbc	tbc	tbc	tbc
Multifunction mode energy consumption (according to EN 50304/2009) [kWh]	0,79	tbc	tbc	tbc	tbc	tbc
Number of cavities	1	1	1	1	1	1
Cavity volume (l)	70	80	80	80	80	80
Dimensions						
External dimensions						
Appliance width [mm]	595	595	595	595	595	595
Appliance height [mm]	595	595	595	595	595	595
Appliance depth [mm]	575	565	565	565	565	565
Inner dimensions according to 50304/2009						
Cavity width [mm]	560	477	477	477	477	477
Cavity height [mm]	590	394	394	394	394	394
Cavity depth [mm]	570	425	425	425	425	425
Characteristics						
Finishing	Black glass + Stainless Steel	Black Glass	White glass	Black Glass	White glass	Black glass + Stainless Steel
Door lock option	Yes	Yes	Yes	Yes	Yes	Yes
Tray levels	5	6	6	6	6	6
Fan	Tangential	Tangencial	Tangencial	Tangencial	Tangencial	Tangencial
Number of lights	I	I	I	I	I	I
Controls						
Control type	Pop out knobs	Pop out knobs	Pop out knobs	Pop out knobs	Pop out knobs	Pop out knobs
Screen Technology	LED	LED	LED	LED	LED	LED
Working pilot light	Yes	Yes	Yes	Yes	Yes	Yes
Thermostat pilot light	Yes	Yes	Yes	Yes	Yes	Yes
Min. temperature [°C]	50	40	40	40	40	40
Pyrolysis pilot light	Yes	-	-	-	-	-
Cleaning						
Enamel	Black non-stick	Black non-stick	Black non-stick	Black non-stick	Black non-stick	Black non-stick
Type of cavity / lateral grill	Chromed Removable	Chromed Removable	Chromed Removable	Chromed Removable	Chromed Removable	Chromed Removable
Inner glass	No	No	No	No	No	No
Pyrolytic Cleaning	Yes	No	No	No	No	No
Min. Pyrolysis duration (min)	1h 30'	-	-	-	-	-
Max. Pyrolysis duration (min)	2h	-	-	-	-	-
EasyClean Cleaning	Yes	Yes	Yes	Yes	Yes	Yes
Programs						
Functions	11	8	8	8	8	8
Inner light	Yes	Yes	Yes	Yes	Yes	Yes
Fast preheat	Yes	No	No	No	No	No
Security						
Security Thermostat	Yes	Yes	Yes	Yes	Yes	Yes
Security automatic disconnection	Yes	Yes	Yes	Yes	Yes	Yes
Automatic door block	No	No	No	No	No	No
Number of door glasses	4	3	3	2	2	2
Cooling fan	Yes	Yes	Yes	Yes	Yes	Yes
Electrical connection						
Grill power [W]	2000	1000+2000	1000+2000	1000+2000	1000+2000	1000+2000
Top heating element power [W]	950	900	900	900	900	900
Underfloor element Power [W]	1100	1200	1200	1200	1200	1200
Back element Power [W]	2000	2300	2300	2300	2300	2300
Total Power [kW]	3,200	2,300	2,300	2,300	2,300	2,300
Nominal voltage [V] / Mains frequency [Hz]	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Light power [W]	25	15	15	15	15	15
Accessories						
Fiat tray	-	1	1	1	1	1
Deep tray	1	1	1	1	1	1
Grill	1	1	1	1	1	1
Roast kit	-	-	-	-	-	-
Telescopic guides	1	1	1	1	1	1
Telescopic guides	PSC-50%	PSC-50%	PSC-50%	PSC-50%	PSC-50%	PSC-50%
Pizza Stone (optional)	No	No	No	No	No	No

(1) Delegated Regulation (EU) No.65 / 2014 of 2013 October 1 that complements Directive 2010/30 / EU of the European Parliament and of the Council in relation to the energy labeling of domestic ovens and hoods. (2) Class range from A+++ (more efficient) to B (less efficient). (3) Measurement obtained according to EN-60350-2 legal standard.

	921270264 8422248111287 EOE-6040 X	921270255 8422248110402 EOE-6020 X	921270256 8422248110419 EOE-5020 X	921270260 8422248111133 EOE-5010 X	921270252 8422248098168 EOE-4530 X	921270217 8435436108891 EOE-4520 X
	Electric	Electric	Electric	Electric	Electric	Electric
	tbc	tbc	tbc	tbc	97,2	94
	A	A	A	A	A	A
	tbc	tbc	tbc	tbc	0,7	0,7
	tbc	tbc	tbc	tbc	0,71	0,71
	1	1	1	1	1	1
	80	80	62	62	40	40
	595	595	595	595	595	595
	595	595	595	595	456	456
	565	565	565	565	502	502
	477	477	440	440	450	450
	394	394	316	316	260	260
	425	425	444	444	456	456
	Black glass + Stain- less Steel	Stainless steel	Stainless steel			
	No	No	No	No	No	No
	6	6	4	4	4	3
	Tangencial	Tangencial	Tangencial	Tangencial	Tangential	Tangential
	I	I	I	I	I	I
	Fix knobs	Fix knobs	Fix knobs	Fix knobs	Pop out knobs	Fix knobs
	LED	-	-	-	LED	-
	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes
	40	40	40	40	50	50
	-	-	-	-	No	No
	Black non-stick	Black non-stick	Black non-stick	Black non-stick	Easy cleaning top slider enamel	Easy cleaning top slider enamel
	Chromed Removable	Chromed Removable	Embossed Removable	Embossed Removable	Chromed Removable	Embossed Removable
	No	No	No	No	No	No
	-	-	-	-	-	-
	-	-	-	-	-	-
	No	No	No	No	Yes	Yes
	7	7	4	4	9	6
	Yes	Yes	Yes	Yes	Yes	Yes
	No	No	No	No	No	No
	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes
	No	No	No	No	No	No
	-	-	-	-	-	-
	2	2	2	2	3	3
	Yes	Yes	Yes	Yes	Yes	Yes
	1000+2000	1000+2000	1000+2000	1000+2000	2380	2200
	900	900	900	900	900	900
	-	-	1200	1200	1300	1300
	2300	2300	-	-	2000	-
	2300	2300	2300	2300	2,38	2,38
	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50-60	220-240 / 50-60
	15	15	15	15	25	25
	1	1	-	1	-	-
	1	1	1	-	1	1
	1	1	1	-	1	1
	-	-	-	-	-	-
	1	1	-	-	1	-
	PSC-50%	PSC-50%	-	-	PSCP-100%	-
	No	No	No	No	Yes	Yes

Code	929270348	EAN	929270349	Model	929270361		929270362		929270360
	8435436111976		8435436111983		8422248101882		8422248101899		8422248083911
	EMW-2530-IG XBK		EMW-2530-IG XWH		EMW-2530-IG BK		EMW-2530-IG WH		EMW-2510-IG X
Type (Built in / free standing)		Built in	Built in						
DIMENSIONS									
Cavity height [mm]	208	208	208	208	208	208	208	208	197
Cavity width [mm]	328	328	328	328	328	328	328	328	333
Cavity depth [mm]	369	369	369	369	369	369	369	369	355
External dimensions: height [mm]	388	388	388	388	388	388	388	388	388
External dimensions: width [mm]	594	594	594	594	594	594	594	594	594
External dimensions: depth [mm]	400	400	400	400	400	400	400	400	410
Characteristics									
Door opening System	Lateral by touch	Lateral by touch							
Cavity capacity [L]	25	25	25	25	25	25	25	25	25
Nº of heating cooking programs	5	5	5	5	5	5	5	5	5
Nº of grill cooking programs	3	3	3	3	3	3	3	3	3
Noise level db[A]	63	63	63	63	63	63	63	63	63
Time-setting option	Yes	Yes							
CONTROL									
Display technology	Electronic display	Electronic display							
Electronic timer	Yes	Yes							
Manual timer	No	No							
Start/Stop button	Yes	Yes							
Door opening button	Touch	Yes							
Timer [min]	95	95	95	95	95	95	95	95	95
Power selector	Yes	Yes							
Function and temperature selector	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector
Working indicator	LED display	LED display							
Control type	Electronic	Electronic							
Weight selector	Yes	Yes							
EQUIPMENT									
Inside light	Yes	Yes							
Cavity construction type	Stainless steel	Stainless steel							
Opening door angle [degrees]	90	90	90	90	90	90	90	90	90
FUNCTIONS									
Grill	Yes	Yes							
Simultaneous grill + microwave	Yes	Yes							
Defrosting, heating and cooking by food type	Yes	Yes							
Memories	No	No							
Quick start	Yes	Yes							
SAFETY									
Safety thermostat	Yes	Yes							
Safety automatic disconnection	Yes	Yes							
Child safety lock	Yes	Yes							
Door temperature	65	65	65	65	65	65	65	65	65
Nº of glasses in the door	1	1	1	1	1	1	1	1	1
CONNECTION									
Grill power [kW]	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1
Microwave power [W]	900	900	900	900	900	900	900	900	900
Total power [kW]	1,45	1,45	1,45	1,45	1,45	1,45	1,45	1,45	1,25
Voltage / Frequency [V/Hz]	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230 / 50
Plug type	Standard Schuko	Standard Schuko							
ACCESORIES									
Rotatory removable glass	Yes	Yes							
Diameter of glass dish [mm]	315	315	315	315	315	315	315	315	315
Built in frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated without frame	Integrated with frame
Ventilation kit	No	No							

EU Directive 65-66: 2014. The actual energy consumption depends on the conditions of use of the device and its location, according to the results obtained in the standard test.

	929270347 8435436111921 EMW-2320-IG X	929270363 8422248101905 EMW-2020-IG BK	929270364 8422248101912 EMW-2020-IG WH	929270352 8435436112010 EMW-2010-IG XBK	929270353 8435436112027 EMW-2010-IG XWH	929270344 8435436110771 EMW-2020-IG X	929270346 8435436111914 EMW-2020-I X
	Built in	Built in	Built in	Built in	Built in	Built in	Built in
	205	205	205	218	218	180	180
	330	305	305	295	295	315	315
	330	280	280	314	314	295	295
	390	382	382	388	388	376	376
	592	595	595	594	594	592	592
	382	320	320	347	347	330	313
	Lateral by button	Lateral by button	Lateral by button	Lateral by button	Lateral by button	Lateral by button	Lateral by button
	23	20	20	20	20	20	20
	6	5	5	5	5	6	5
	2	3	3	4	4	2	0
	59	68	68	63	63	59	59
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Electronic display	Electronic display	Electronic display	Electronic display	Electronic display	Electronic display	Electronic display
	Yes	Yes	Yes	No	No	Yes	Yes
	No	Yes	Yes	Yes	Yes	No	No
	Yes	Yes	Yes	No	No	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	60	95	95	35	35	60	60
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector	Function selector
	No	LED display	LED display	No	No	LED display	LED display
	Electronic	Electronic	Electronic	Mechanic	Mechanic	Electronic	Electronic
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
	88	90	90	90	90	90	90
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	No
	Yes	Yes	Yes	Yes	Yes	Yes	No
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	No	No	No	No	Yes	Yes
	No	Yes	Yes	No	No	No	No
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Yes	Yes	Yes	No	No	Yes	Yes
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	65	65	65	65	65	65	40
	1	1	1	1	1	1	1
	1,2	1	1	1	1	1	-
	800	800	800	800	800	700	700
	1,28	1,25	1,25	1,25	1,25	1,07	1,08
	230-240 / 50	230 / 50	230 / 50	230 / 50	230 / 50	230-240 / 50	230-240 / 50
	Standard Schuko	Standard Schuko	Standard Schuko	Standard Schuko	Standard Schuko	Standard Schuko	Standard Schuko
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	315	245	245	245	245	245	245
Integrated without frame	Integrated without frame	Integrated with frame	Integrated with frame	Integrated with frame	Integrated with frame	Integrated with frame	Integrated with frame
No	No	No	No	No	No	Yes	Yes

Code EAN	922272058 8422248109659	932271900 8435436112379	932271901 8435436112386	932271902 8435436112393	932271903 8435436112409	932271904 8435436112416
Model	EIT-7422 DD B	ECC-1832 WH	ECV-9832 GBK	ECV-9832 GWH	ECV-7832 GBK	ECV-7832 GWH
Type	DownDraft	Ceiling	Vertical decorative	Vertical decorative	Vertical decorative	Vertical decorative
Product fiche according to directives EU65/2014 - EN61591, EN60704-2-13, EN50564						
AEC (Annual Energy consumption) (kWh/nnr)	29	56.3	22.8	22.8	22.8	22.8
EEI class (Energy Efficiency Class)	A	A	A+	A+	A+	A+
FDE (Fluid Dynamic Efficiency)	27,2	30,6	35	35	35	35
FDE class (Fluid Dynamic Efficiency Class)	B	A	A	A	A	A
LE (Lifting Efficiency) (lux/W)	-	31.2	59.7	59.7	59.7	59.7
LE class (Lighting Efficiency Class)	-	A	A	A	A	A
GFE (Grease Filtering Efficiency)	45.8	91.2	91.2	91.2	91.2	91.2
GFE Class (Grease Filtering Efficiency class)	F	B	B	B	B	B
Air flow at minimum speed (m³/h)	198,6	340	200	200	200	200
Air flow at maximum speed (m³/h)	440,1	600	645	645	645	645
Air flow at intensive speed (TURBO) (m³/h)	542,2	850	820	820	820	820
Sound Power Level at minimum speed (dB)	45	50	40	40	40	40
Sound Power Level at maximum speed (dB)	64	65	65	65	65	65
Sound Power Level at intensive speed (TURBO) (dB)	67	67	67	67	67	67
Po (Power Consumption in off mode) (W)	0,46	0,43	0,4	0,4	0,4	0,4
Ps (Power Consumption in standby) (W)	-	0,43	0,4	0,4	0,4	0,4
Integration directive EU 66/2014						
f (Time Increase Factor)	1	0.9	0.7	0.7	0.7	0.7
EEI (Energy Efficiency Index)	49,2	53,7	39	39	39	39
QBEP (Flow Rate at Best Efficiency Point) (m³/h)	264,2	416,9	403	403	403	403
PBEP (Static Pressure Difference at Best Efficiency Point) (Pa)	294	411	233	233	233	233
WBEP (Electric Power Input at Best Efficiency Point) (W)	79,4	155,7	74,7	74,7	74,7	74,7
WL (Nominal Power Consumption of Lighting system) (W)	-	7	3,5	3,5	3,5	3,5
EMIDDLE (Average Illumination of Lighting system on Cooking surface) (lux)	-	218,2	208,8	208,8	208,8	208,8
External Dimensions						
Width (mm)	700	1,000	900	900	700	700
Depth (mm)	520	600	290	290	290	290
Total max height(mm)	250	500	1,160	1,160	1,160	1,160
Total min height(mm)	250	285	845	845	845	845
Outlet Diameter (mm)	150	150	150	150	150	150
Characteristics						
Motor	BLDC	BT3	BTDCA	BTDCA	BTDCA	BTDCA
Extraction Levels	6	3+1	4+1	4+1	4+1	4+1
Maximum Power Consumption	135	280	130	130	130	130
Maximum Pressure	360	450	455	455	455	455
Intensive Speed (TURBO) Pressure	361	470	470	470	470	470
Control Type	Backlighted touch					
Automatic shut-down timer	Yes	Yes	Yes	Yes	Yes	Yes
Electronic Filter Saturation Indicator	Yes	Yes	Yes	Yes	Yes	Yes
Filter Type	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Anti-grease Filter Number	4	3	1+1	1+1	1+1	1+1
Inner Shield	No	No	No	No	No	No
Lighting						
Light Type	-	LED bar				
Adjustable Intensity Lighting	-	Yes	Yes	Yes	Yes	Yes
Nº of Lamps	-	2	1	1	1	1
Installation						
Minimum height distance to a electric worktop hob (mm)	-	650	650	650	650	650
Minimum height distance to a gas worktop hob (mm)	-	550	530	530	530	530
Instalation with Outlet tube to the exterior / Recirculating	Both	Both	Both	Both	Both	Both
Easy Instalation System	Yes	Yes	Yes	Yes	Yes	Yes
Electric Connection						
Total Rush Power (W)	9000	287	133,5	133,5	133,5	133,5
Rated Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240
Network Frequency (Hz)	50-60	50-60	50-60	50-60	50-60	50-60
Electrical Insulation Class	Class II					
Plug	No	Yes	Yes	Yes	Yes	Yes
Accessories						
Upper Decorative tube Extension	-	-	02861305	02861305	02861305	02861305
White Decorative Tube	-	-	-	02861005	-	02861005
Black Decorative Tube	-	-	02861405	-	02861405	-
Island Tube Enhancer	-	-	-	-	-	-
Check Valve	-	02832004	Included	Included	Included	Included
MAX PRO Metal Filter	-	02800917	02800917	02800917	02800917	02800917
Metal Filter	02800972	02800905	02800200 + 02800904	02800200 + 02800904	02800200 + 02800904	02800200 + 02800904
DUAL Filter (metal + active charcoal)	-	02800918	02800918 + 02800938	02800918 + 02800938	02800918 + 02800938	02800918 + 02800938
Active Charcoal Filter	02800980	02859398	02859398	02859398	02859398	02859398
Noiseless Flexible Duct	02893002	02893002	02893002	02893002	02893002	02893002
Decorative panel accessory (APD) (Optional)	-	-	-	-	-	-

(1) Delegated Regulation (EU) No. 65 / 2014 of 2013 October 1 that complements Directive 2010/30 / EU of the European Parliament and of the Council in relation to the energy labeling of domestic ovens and hoods. (2) Class range from A++ (more efficient) to E (less efficient). (3) Class range from A (more efficient) to F (less efficient). (4) Class range from A (more efficient) to G (less efficient). (5) Delegated Regulation (EU) No.66 / 2014 of January 14, that complements Directive 2009/125/CE of the European Parliament and of the Council concerning the ecological design requirements applicable to domestic ovens, hobs and hoods.

	932271883 8435436108655	932271894 8435436110474	932271905 8435436112423	932271906 8435436112430	932271907 8435436112447	932271908 8435436112454	932271909 8435436112461	932271910 8435436112478	932271911 8435436112485	932271886 8435436108686	932271887 8435436108693
	ECV-9831 GBK	ECV-9831 GWH	ECB-9831 XGBK	ECB-9831 XGWH	ECB-7831 XGBK	ECB-7831 XGWH	ECB-9611 X	ECB-7611 X	ECB-6611 X	ECB-9411 X	ECB-7411 X
Vertical decorative	Vertical decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative	Box decorative
56.3 A 30.6 A 28.7 A 91.2 B 340 600 850 50 65 67 0.43 0.43	56.3 A 30.6 A 28.7 A 91.2 B 340 600 850 50 65 67 0.43 0.43	53.6 A 30.6 A 41.2 A 91.2 B 340 600 850 50 65 67 0.43 0.43	53.6 A 30.6 A 41.2 A 91.2 B 340 600 850 50 65 67 0.43 0.43	53.6 A 30.6 A 41.2 A 91.2 B 340 600 850 50 65 67 0.43 0.43	53.6 A 30.6 A 41.2 A 91.2 B 340 600 850 50 65 67 0.43 0.43	102.5 C 16.3 D 36 A 88.5 B 340 600 850 50 65 70 0 0	102.5 C 16.3 D 36 A 88.5 B 340 600 850 50 65 70 0 0	102.5 C 16.3 D 36 A 88.5 B 340 600 850 50 65 70 0 0	102.5 C 16.3 D 36 A 88.5 B 340 600 850 50 65 70 0 0	51.9 C 9.8 E 8.4 E 74.6 D 210 400 50 50 62 0 0	51.9 C 9.8 E 8.4 E 74.6 D 210 400 50 50 62 0 0
0.9 53.7 416.9 411 155.7 7 201	0.9 53.7 416.9 411 155.7 7 201	0.9 52.1 416.9 411 155.7 3.5 144.2	0.9 52.1 416.9 411 155.7 3.5 144.2	0.9 52.1 416.9 411 155.7 3.5 144.2	0.9 52.1 416.9 411 155.7 3.5 144.2	1.4 83.4 375.3 295 188.8 7 252	1.4 83.4 375.3 295 188.8 7 252	1.4 83.4 375.3 295 188.8 7 252	1.4 83.4 375.3 295 188.8 7 252	1.6 84.4 208.6 123 72.9 11 92.5	1.6 84.4 208.6 123 72.9 11 92.5
900 365 1,148 860 150	900 365 1,030 632 150	900 480 1,030 632 150	700 480 1,030 632 150	700 480 1,030 632 150	700 480 1,030 632 150	900 500 1,035 690 125	700 500 1,035 690 125	700 500 1,035 690 125	600 500 932 675 125	900 470 932 675 150/125	700 470 932 675 150/125
BT3 3+1 280 450 470 Backlighted touch Yes Yes Aluminium 1+1 No	BT3 3+1 280 450 470 Backlighted touch Yes Yes Aluminium + S. steel 1+1 No	BT3 3+1 280 450 470 Backlighted touch Yes Yes Alum. + S. steel 3 No	BT3 3+1 280 450 470 Backlighted touch Yes Yes Alum. + S. steel 3 No	BT3 3+1 280 450 470 Backlighted touch Yes Yes Alum. + S. steel 2 No	TA 3 270 430 - Mechanic No No Aluminium 2 No	TA 3 270 430 - Mechanic No No Aluminium 3 No	TA 3 270 430 - Mechanic No No Aluminium 2 No	TA 3 270 430 - Mechanic No No Aluminium 3 No	K7 Plus 3 95 200 - Mechanic No No Aluminium 3 No	K7 Plus 3 95 200 - Mechanic No No Aluminium 2 No	
ECOLED Yes 2	ECOLED Yes 2	LED bar Yes 1	LED bar Yes 1	LED bar Yes 1	LED bar Yes 1	ECOLED No 2	ECOLED No 2	ECOLED No 2	LED No 2	LED No 2	
650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 650 Both Yes	650 650 Both Yes	650 650 Both Yes	650 650 Both Yes	650 650 Both Yes	
287 220-240 50-60 Class II Yes	287 220-240 50-60 Class II Yes	283.5 220-240 50-60 Class II Yes	283.5 220-240 50-60 Class II Yes	283.5 220-240 50-60 Class II Yes	283.5 220-240 50-60 Class II Yes	277 220-240 50-60 Class II Yes	277 220-240 50-60 Class II Yes	277 220-240 50-60 Class II Yes	106 220-240 50-60 Class II Yes	106 220-240 50-60 Class II Yes	
02861301 - - Included - 02819000 + 02800925 - 02859398 02893002 -	02861301 - - Included - 02819000 + 02800925 - 02859398 02893002 -	02861300 - - Included - 02800204 - 02859398 02893002 02841300	02861300 - - Included - 02800204 - 02859398 02893002 02866300	02861300 - - Included - 02800204 - 02859398 02893002 02866300	02861300 - - Included - 02800204 - 02859398 02893002 02866300	02861301 - - Included - 02800917 - 02800918 02859391 02893002 02841300	02861301 - - Included - 02800917 - 02800918 02859391 02893002 02841300	02861301 - - Included - 02800917 - 02800918 02859391 02893002 02841300	02861302 - - Included - 02800917 - 02800918 02859394 02893002 02866300	02861302 - - Included - 02800917 - 02800918 02859394 02893002 02866300	

Code EAN Model	932271888 8435436108709 ECB-6411 X	932271915 8435436112522 ECP-9611 X	932271916 8435436112539 ECP-7611 X	932271917 8435436112546 ECP-6611 X	932271889 8435436108716 ECP-9411 X	932271890 8435436108723 ECP-7411 X
Type	Box decorative	Pyramid decorative	Pyramid decorative	Pyramid decorative	Pyramid decorative	Pyramid decorative
Product fiche according to directives EU65/2014 - EN61591, EN60704-2-13, EN50564						
AEC (Annual Energy consumption) (kWh/nnn)	51.9	95.7	95.7	95.7	53.7	53.7
EEI class (Energy Efficiency Class)	C	C	C	C	C	C
FDE (Fluid Dynamic Efficiency)	9.8	17.8	17.8	17.8	10.3	10.3
FDE class (Fluid Dynamic Efficiency Class)	E	D	D	D	E	E
LE (Lighting Efficiency) (lux/W)	8.4	38.4	38.4	38.4	8.4	8.4
LE class (Lighting Efficiency Class)	E	A	A	A	E	E
GFE (Grease Filtering Efficiency)	74.6	90.3	90.3	90.3	71.4	71.4
GFE Class (Grease Filtering Efficiency class)	D	B	B	B	D	D
Air flow at minimum speed (m³/h)	210	385	385	385	210	210
Air flow at maximum speed (m³/h)	400	645	645	645	420	420
Air flow at intensive speed (TURBO) (m³/h)	-	-	-	-	-	-
Sound Power Level at minimum speed (dB)	50	57.8	57.8	57.8	53	53
Sound Power Level at maximum speed (dB)	62	71.8	71.8	71.8	65	65
Sound Power Level at intensive speed (TURBO) (dB)	-	-	-	-	-	-
Po (Power Consumption in off mode) (W)	0	0	0	0	0	0
Ps (Power Consumption in standby) (W)	0	0	0	0	0	0
Integration directive EU 66/2014						
f (Time Increase Factor)	1.6	1.4	1.4	1.4	1.6	1.6
EEI (Energy Efficiency Index)	84.4	80.1	80.1	80.1	84.4	84.4
QBEP (Flow Rate at Best Efficiency Point) (m³/h)	208.6	371.8	371.8	371.8	220	220
PBEP (Static Pressure Difference at Best Efficiency Point) (Pa)	123	314	314	314	130	130
WBEP (Electric Power Input at Best Efficiency Point) (W)	72.9	182.5	182.5	182.5	76.9	76.9
WL (Nominal Power Consumption of Lighting system) (W)	11	7	7	7	11	11
EMIDDLE (Average Illumination of Lighting system on Cooking surface) (lux)	92.5	269	269	269	92.5	92.5
External Dimensions						
Width (mm)	600	900	700	600	900	700
Depth (mm)	470	500	500	500	475	475
Total max height(mm)	932	1,020	1,020	1,020	910	910
Total min height(mm)	675	720	720	720	610	610
Outlet Diameter (mm)	150/125	150/125	150/125	150/125	150/125	150/125
Characteristics						
Motor	K7 Plus	TA	TA	TA	K7 Plus	K7 Plus
Extraction Levels	3	3	3	3	3	3
Maximum Power Consumption	95	270	270	270	95	95
Maximum Pressure	200	430	430	430	200	200
Intensive Speed (TURBO) Pressure	-	-	-	-	-	-
Control Type	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic
Automatic shut-down timer	No	No	No	No	No	No
Electronic Filter Saturation Indicator	No	No	No	No	No	No
Filter Type	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Anti-grease Filter Number	2	3	3	2	3	2
Inner Shield	No	No	No	No	No	No
Lighting						
Light Type	LED	ECOLED	ECOLED	ECOLED	LED	LED
Adjustable Intensity Lighting	No	No	No	No	No	No
Nº of Lamps	2	2	2	2	2	2
Installation						
Minimum height distance to a electric worktop hob (mm)	650	650	650	650	650	650
Minimum height distance to a gas worktop hob (mm)	650	650	650	650	650	650
Instalation with Outlet tube to the exterior / Recirculating	Both	Both	Both	Both	Both	Both
Easy Instalation System	Yes	Yes	Yes	Yes	Yes	Yes
Electric Connection						
Total Rush Power (W)	106	277	277	277	106	106
Rated Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240
Network Frequency (Hz)	50-60	50-60	50-60	50-60	50-60	50-60
Electrical Insulation Class	Class II					
Plug	Yes	Yes	Yes	Yes	Yes	Yes
Accessories						
Upper Decorative tube Extension	02861302	02862301	02862301	02862301	02862302	02862302
White Decorative Tube	-	-	-	-	-	-
Black Decorative Tube	-	-	-	-	-	-
Island Tube Enhancer	-	-	-	-	-	-
Check Valve	Included	Included	Included	Included	Included	Included
MAX PRO Metal Filter	02800917	02800917	02800917	02800917	02800917	02800917
Metal Filter	02800905	02800905	02800905	02800905	02800905	02800905
DUAL Filter (metal + active charcoal)	02800918	02800918	02800918	02800918	02800918	02800918
Active Charcoal Filter	02859394	02859391	02859391	02859391	02859394	02859394
Noiseless Flexible Duct	02893002	02893002	02893002	02893002	02893002	02893002
Decorative panel accessory (APD) (Optional)	02840300	02841300	02866300	02840300	02841300	02866300

(1) Delegated Regulation (EU) No. 65 / 2014 of 2013 October 1 that complements Directive 2010/30 / EU of the European Parliament and of the Council in relation to the energy labeling of domestic ovens and hoods. (2) Class range from A ++ (more efficient) to E (less efficient). (3) Class range from A (more efficient) to F (less efficient). (4) Class range from A (more efficient) to G (less efficient). (5) Delegated Regulation (EU) No.66 / 2014 of January 14, that complements Directive 2009/125/CE of the European Parliament and of the Council concerning the ecological design requirements applicable to domestic ovens, hobs and hoods.

	932271891 8435436108730	932271918 8435436112553	932271941 8422248198493	932271942 8422248198509	932271897 8435436110948	932271898 8435436110955	932271899 8435436110962	932271920 8435436112577	932271919 8435436112560	932271921 8422248087391	932271922 8422248087407
	ECP-6411 X	ECG-9832 X	ECG-8632 GBK	ECG-8632 GWH	ECG-5831 GBK	ECG-5831 GWH	ECG-5811 X	ECT-6411 X	ECT-6411 WH	ECS-6213 X	ECS-6213 WH
Pyramid decorative	Filter group	Filter group	Filter group	Filter group	Filter group	Filter group	Filter group	Telescopic	Telescopic	Standard	Standard
53.7 C	53.6 A	62.6 B	62.6 B	58.3 A	58.3 A	106.3 C	44.5 C	44.5 C	52.6 D	52.6 D	
10.3 E	30.6 A	22.6 C	22.6 C	30.2 A	30.2 A	15.7 D	11.9 E	11.9 E	9.1 E	9.1 E	
8.4 E	55.7 A	30.9 A	30.9 A	16.1 C	16.1 C	24.3 B	36 A	36 A	8.4 E	8.4 E	
71.4 D	91.2 B	66.2 D	66.2 D	91.2 B	91.2 B	91.2 B	68 D	68 D	68 D	68 D	
210 420	340 600	237 532	237 532	340 600	340 600	300 645	150 390	150 390	100 300	100 300	
-	820 50	- 47	- 47	820 50	820 50	- 50	- 50	- 45.5	- 45.5	- 60	- 60
53 65	65 68	68 68	68 68	65 65	65 65	65 65	57 57	57 57	67 67	67 67	
-	67	-	-	67	67	-	-	-	-	-	
0	0.26	0	0	0.43	0.43	0.43	0	0	0	0	
0	0.26	0	0	0.43	0.43	0.43	0	0	0	0	
1.6 84.4	0.9 52.1	1.2 68.3	1.2 68.3	0.9 54.4	0.9 54.4	1.4 84.7	1.6 78.2	1.6 78.2	1.7 85.6	1.7 85.6	
220 130	416.9 411	297.7 362	297.7 362	429.4 405	429.4 405	419.7 261	198.2 148	198.2 148	150.4 158	150.4 158	
76.9 11	155.7 3.5	132.5 3.5	132.5 3.5	159.8 7	159.8 7	193.5 7	68.6 7	68.6 7	73 11	73 11	
92.5	208.8	108	108	113	113	170	252	252	92.5	92.5	
600 475	895 350	700 270	700 270	530 280	530 280	492 277	600 280-440	600 280-440	600 450	600 450	
910 610	338 338	240 245	240 245	352 352	352 352	280 280	180 180	180 180	120 120	120 120	
150/125	125/150	125/150	125/150	150 / 125	150 / 125	150 / 125	120	120	120	120	
K7 Plus 3 95 200 -	BT3 2+1 280 450 470	186W 3 186 484	186W 3 186 484	BT3 3+1 280 450 470	BT3 3+1 280 450 470	BT2 3 240 405	TF 2003 2 100 194	TF 2003 2 100 194	LF 3 55 190	LF 3 55 190	
Mechanic	Mechanic	Mechanic	Mechanic	Táctil retroiluminado	Táctil retroiluminado	Mechanic	Mechanic	Mechanic	Mechanic slider	Mechanic slider	
No No Aluminium 2 No	Yes No Aluminium 2 No	No No Aluminium 2 No	No Yes Aluminium 2 No	Yes Yes Aluminium 2 No	Yes Yes Aluminium 2 No	No No Aluminium 2 No	No No Aluminium 2 No	No No Alum. mesh	No No Alum. mesh	No No	
LED No 2	LED bar No 2	Striped No 1	Striped No 1	ECOLED Yes 2	ECOLED Yes 2	ECOLED No 2	ECOLED No 2	ECOLED No 2	LED No 2	LED No 2	
650 650 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 550 Both Yes	650 650 Both Yes	650 650 Both Yes	
106 220-240 50-60 Class II Yes	283.5 220-240 50-60 Class II Yes	189.5 220-240 50-60 Class I No	189.5 220-240 50-60 Class I No	287 220-240 50-60 Class II Yes	287 220-240 50-60 Class II Yes	207 220-240 50-60 Class II Yes	107 220-240 50-60 Class II No	107 220-240 50-60 Class II No	66 220-240 50-60 Class II No	66 220-240 50-60 Class II No	
02862302 - - - Included 02800917	- - - Included -	- - - Included -	- - - Included -	- - - Included -	- - - Included -	- - - Included -	- - - Included -	- - - Included -	- - - Included -		
02800905	02800946	02811018	02811018	02811000	02811000	02811000	02825272	02825272	02803260	02803260	
02800918	-	-	-	02811003	02811003	02811003	-	-	-	-	
02859394	02859398	02859405	02859405	02859398	02859398	02859398	02825263	02825263	02846763	02846763	
02893002	02893002	-	-	02893002	02893002	02893002	-	-	-	-	
02840300	-	-	-	-	-	-	-	-	-	-	

Code	924271322	924271321	924271509	924271263	924271264	924271265	924271320	924271266	
EAN	8422248343114	8422248343107	8422248343084	8422248097017	8422248097024	8422248097031	8422248343091	8422248097048	
Model	ESS-1832 NF EX	EFC-2035 NF EX	EFC-1822 NF GBK	EFC-7832 DNF EX	EFC-2032 NF EX	EFC-2032 NF WH	EFC-1833 NF EX	EFC-1832 NF EX	
Finish	Stainless Steel	Stainless Steel	Black glass	Stainless steel	Stainless steel	White	Stainless Steel	Stainless steel	
Product fiche according to EU Regulation 2019/2016									
Category	7	7	7	6	7	7	7	7	
Energy efficiency class	F	D	E	F	E	E	D	E	
Energy consumption [kWh/year]	387	197	243	336	231	231	194	235	
Refrigerator storage volume [l]	334	238	207	316	247	247	207	224,4	
Freezer storage volume **** [l]	185	98	97	119	83	83	97	85,6	
Star rating	4	4	4	4	4	4	4	4	
Frost-free fridge	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Frost-free freezer	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Power cut safe [h]	6	10	10	12	9	9	10	8	
Freezing capacity [kg/24h]	11	6	6	12	3,89	3,89	6	3,89	
Climate class (2)	SN/N/ST	SN/N/ST/T	SN/N/ST/T	N/ST	N/ST	N/ST	SN/N/ST/T	N/ST	
Noise emissions [dBA]	42	36	39	41	41	41	36	41	
Installation type	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	
Dimensions									
Height [mm]	1786	2004	1860	1880	2010	2010	1860	1880	
Width [mm]	910	595	595	700	595	595	595	595	
Depth [mm]	646	590	590	666	630	630	590	630	
Opening of the door	Right - Left	Right	Right	Right	Right	Right	Right	Right	
Reversible doors	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
External / Recessed handle	Recessed handle	External metal look	Recessed handle	External metal look	External metal look	Recessed handle	External metal look	External metal look	
Control									
Cooling type	Total No Frost	Total No Frost	Total No Frost	Metal DUAL No Frost	TOTAL No Frost	TOTAL No Frost	Total No Frost	TOTAL No Frost	
Control	Electronic	Electrónico	Electrónico	Electronic	Electronic	Electronic	Electrónico	Electronic	
Display	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Electronic refrigerator temperature regulation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Electronic freezer temperature regulation	Yes	Yes	Yes	Yes	-	-	Yes	-	
Super cooling / Super freezing function	No - Yes	No - Yes	No - Yes	Yes - Yes	Yes - /	Yes - /	No - Yes	Yes - /	
Holiday function	-	-	-	Yes	-	-	-	-	
Winter-Summer function	-	-	-	-	Yes	Yes	-	Yes	
Refrigerator equipment									
Number of door balconies	3	4	3	4	5	5	3	5	
Number of glass shelves	4	4	2	3	4	4	2	3	
Wine rack	1	-	Yes	-	Yes	Yes	Yes	Yes	
Drawer for fruits and vegetables	2	1	1	2	1	1	1	2	
Chiller for meat and fish	-	1	1	1	1	1	1	-	
Metallic inner decoration	-	-	-	Yes	-	-	-	-	
Number of egg tray - Egg capacity	2-6	1-6	2-6	1-6	1-6	1-6	2-6	1-6	
Freezer equipment									
Number of drawers - closed drawers	2-2	3-3	3-3	3-2	3-3	3 - 3	3-3	3-3	
Ice trays - Ice cube capacity	1-12	1-12	1-12	1-12	1-12	1-12	1-12	1-12	
Illumination									
Fridge / Freezer lightning	Yes - Yes	Yes - /	Yes - /	Yes -- /	Yes -- /	Yes -- /	Yes - /	Yes -- /	
LED lightning	Yes - Yes	Yes - /	Yes - /	Yes -- /	Yes -- /	Yes -- /	Yes - /	Yes -- /	
Power and water connection									
Voltage range [V]	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	
Frequency [Hz]	50	50	50	50	50	50	50	50	
Rated power [W]	185	150	150	130	190	190	150	170	
Rated current [A]	1,6	1	0,6	0,6	0,7	0,7	1	0,8	
Type of plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	
Power cord length [mm]	180	180	180	170	170	170	180	170	

	924271267 8422248097055	924271268 EFC-1821 NF EX	924271269 EFC-1821 NF WH	924271306 EFC-1822 NF WH	924271305 EFC-1821 ST WH	924271350 EFC-1711-I / C	924271272 EFT-1711 EX	924271273 EFT-1711 WH	924271274 EFT-1611 WH	924271275 EFT-1411 WH/B	924271311 EFS-1823 NF EX
	White	Stainless steel	White	White	White	Built-in	Stainless steel	White	White	White	Stainless Steel
7	7	7	7	7	7	7	7	7	7	7	1
E	F	F	F	F	F	F	F	F	F	F	E
235	293	293	275	263	271	260	260	221	221	221	118
224,4	224,4	224,4	180	191	179	225	225	194	163	163	362
85,6	85,6	85,6	71	71	70	69	69	41	41	41	-
4	4	4	4	4	4	4	4	4	4	4	-
Yes	Yes	Yes	Yes	-	-	-	-	-	-	-	Yes
Yes	Yes	Yes	Yes	-	-	-	-	-	-	-	-
8	8	8	9,5	12	10	8	8	8	8	8	-
3,89	3,89	3,89	3,2	3,2	3,2	3,2	3,2	2	2	2	-
N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST	SN/N/ST/T
41	41	41	40	40	39	41	41	40	40	40	41
Free standing	Free standing	Free standing	Free standing	Free standing	Built-in	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
1880	1880	1880	1810	1800	1777	1764	1764	1590	1440	1440	1850
595	595	595	550	550	540	598	598	550	550	550	595
630	630	630	610	560	540	642	642	550	550	550	618
Right	Right	Right	Right	Right	Right	Right	Right	Right	Right	Right	Right
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recessed handle	External metal look	Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	External metal look				
TOTAL No Frost	TOTAL No Frost	TOTAL No Frost	TOTAL NO Frost	Static	Static	Satic	Satic	Satic	Satic	Satic	TOTAL No Frost
Electronic	Electronic	Electronic	Electronic	Electronic	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic	Mechanic	Electronic
Yes	-	-	-	-	-	-	-	-	-	-	Yes
Yes	Yes	Yes	Yes	Yes	-	-	-	-	-	-	Yes
-	-	-	Yes	-	-	-	-	-	-	-	-
Yes - /	Yes - /	Yes - /	-	-	Yes / Yes	-	-	-	-	-	Yes - /
-	-	-	-	-	-	-	-	-	-	-	-
Yes	Yes	Yes	Yes	-	-	-	-	-	-	-	-
5	5	5	3	3	3	3	3	4	3	3	5
3	4	4	4	4	4	4	4	4	4	4	6
-	-	-	-	-	-	-	-	-	-	-	Yes
2	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-
1-6	1-6	1-6	1-6	1-6	1-6	1-6	1-6	1-6	1-6	1-6	1-6
3-3	3-3	3-3	3-2	3-3	3-3	-	-	-	-	-	-
1-12	1-12	1-12	1-12	1-12	1-12	1-12	1-12	1-12	1-12	1-12	-
Yes -- /	Yes -- /	Yes -- /	Yes - /	Yes - /	Yes -- /	Yes -- /	Yes -- /	Yes -- /	Yes -- /	Yes -- /	Sí - /
Yes -- /	Yes -- /	Yes -- /	Yes - /	Yes - /	Yes -- /	-	-	-	-	-	Yes
220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
50	50	50	50	50	50	50	50	50	50	50	50
170	170	170	170	110	115	115	98	98	85	85	65
0,8	0,8	0,8	0,8	0,9	0,75	0,75	0,8	0,8	0,82	0,82	0,6
Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
170	170	170	160	160	160	170	170	170	170	170	170

Code	924271310	924271307	924271308	924271316	924271289	924271299	924271290	924271291	
EAN	8422248108713	8422248198585	8422248198592	8422248343664	8422248101714	8422248101721	8422248099639	8422248099646	
Model	EZS-1823 NF EX	EFS-0813 WH	EZS-0813 WH	EFS-0814 WH	EFS-0911 WH	EFS-0411 WH	EFS-0511 I	EFS-0512 I	
Finish	Stainless Steel	White	White	White	White	White	Built-in	Built-in	
Product fiche according to EU Regulation 2019/2016									
Category	8	1	8	1	1	1	1	7	
Energy efficiency class	E	F	F	F	F	F	F	F	
Energy consumption [kWh/year]	245	112	208	174	107	100	105	110	
Refrigerator storage volume [l]	-	127	-	88	93	47	110	84	
Freezer storage volume **** [l]	273	-	91	14	-	-	-	-	
Star rating	4	4	4	4	-	-	-	-	
Frost-free fridge	-	-	-	-	-	-	-	-	
Frost-free freezer	Yes	-	-	-	-	-	-	-	
Power cut safe [h]	8	-	12	7	-	-	-	-	
Freezing capacity [kg/24h]	12,4	-	4,4	2,4	-	-	-	-	
Climate class (2)	SN/N/ST/T	N/ST	N/ST	N/ST	SN/N/ST/T	N/ST/T	SN/N/ST	SN/N/ST	
Noise emissions [dBA]	41	39	40	40	41	41	42	42	
Installation type	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Built-in	Built-in	
Dimensions									
Height [mm]	1850	850	850	840	850	480	815	815	
Width [mm]	595	550	550	500	470	470	595	595	
Depth [mm]	618	580	580	560	440	440	545	545	
Opening of the door	Left	Right							
Reversible doors	Yes	Yes	Yes	Yes	-	-	Yes	Yes	
Wheels	Yes	-	-	-	-	-	No	No	
External / Recessed handle	External metal look	Recessed handle							
Control									
Cooling type	TOTAL No Frost	Static	Static	Static	Static	Static	Satic	Satic	
Control	Electronic	Mechanic							
Display	Yes	-	-	-	-	-	-	-	
Electronic refrigerator temperature regulation	-	-	-	-	-	-	-	-	
Electronic freezer temperature regulation	Yes	-	-	-	-	-	-	-	
Super cooling / Super freezing function	- / Yes	-	-	-	-	-	-	-	
Holiday function	-	-	-	-	-	-	-	-	
Winter-Summer function	-	-	-	-	-	-	-	-	
Refrigerator equipment									
Number of door balconies	-	3	-	3	3	2	2	2	
Number of glass shelves	-	3	-	2	3	1	2	2	
Wine rack	-	-	-	-	-	-	-	-	
Drawer for fruits and vegetables	-	1	-	1	1	-	1	1	
Chiller for meat and fish	-	-	-	-	-	-	-	-	
Metallic inner decoration	-	-	-	-	-	-	-	-	
Number of egg tray - Egg capacity	-	1-6	-	1-6	1-6	1-6	1-6	1-6	
Freezer equipment									
Number of drawers - closed drawers	5	-	4	1	2	1	1	1	
Ice trays - Ice cube capacity	1-6	-	1-12	-	-	-	-	-	
Illumination									
Fridge / Freezer lightning	- / Yes	Yes - /	-	Yes - /	-	-	-	-	
LED lightning	Yes	Yes	-	Yes	-	-	Yes	Yes	
Power and water connection									
Voltage range [V]	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	
Frequency [Hz]	50	50	50	50	50	50	50	50	
Rated power [W]	200	90	100	90	70	70	60	60	
Rated current [A]	0,5	0,55	0,7	0,75	0,55	0,55	0,35	0,35	
Type of plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	
Power cord length [mm]	170	160	160	160	170	170	170	170	

	924271292 8422248099653	924271282 8422248098540	924271281 8422248098533
	EZS-0511 I	EZS-1732 NF	EZS-1412
	Built-in	White	White
	8	8	8
	F	E	E
	205	234	183
	-	-	-
	90	238	160
	4	4	4
	-	-	-
	-	Yes	-
	-	8	9
	4,5	11,1	7,2
	SN/N/ST	SN/N/ST/T	N/ST
	39	41	42
	Built-in	Free standing	Free standing
	815	1720	1420
	595	595	550
	545	635	550
	Right	Right	Right
	Yes	Yes	Yes
	No	-	-
	Recessed handle	External handle	External handle
	Satic	TOTAL No Frost	Static
	Mechanic	Electronic	Mechanic
	-	Yes	-
	-	-	-
	-	Yes	-
	-	- / Yes	-
	-	-	-
	-	-	-
	3	7	5
	-	-	-
	-	-	-
	-	-	-
	220-240	220-240	220-240
	50	50	50
	50	150	120
	0.24	0.52	0.52
	Schuko	Schuko	Schuko
	170	170	170

Code	928271180	928271170	928271179	928271178	928271171	928271177	928271176	928271175	
EAN	8422248100755	8422248098557	8422248100717	8422248100731	8422248098564	8422248100724	8422248100694	8422248100748	
Model	EZH-5011	EZH-4211	EZH-4111	EZH-3511	EZH-3011	EZH-2811	EZH-2014	EZH-0911	
Finish									
White									
Product fiche according to EU Regulation 2019/2016									
Category	8	8	8	8	8	8	8	8	
Energy efficiency class	F	F	F	F	F	F	F	E	
Energy consumption [kWh/year]	356	337	333	308	286	280	251	162	
Refrigerator storage volume [l]	-	-	-	-	-	-	-	-	
Freezer storage volume **** [l]	472	418	411	349	290	275	209	88	
Star rating	4	4	4	4	4	4	4	4	
Frost-free fridge	-	-	-	-	-	-	-	-	
Frost-free freezer	-	-	-	-	-	-	-	-	
Power cut safe [h]	45	50	45	37	45	37	37	20	
Freezing capacity [kg/24h]	24	19	24	23	14	24	16,5	12	
Climate class (2)	SN/N/ST/T								
Noise emissions [dBA]	42	45	42	44	41	44	39	44	
Installation type	Free Standing								
Dimensions									
Height [mm]	860	825	860	860	850	860	860	835	
Width [mm]	1700	1416	1510	1320	1115	1090	890	600	
Depth [mm]	690	750	690	690	670	690	690	530	
Opening of the door	Vertical								
Reversible doors	-	-	-	-	-	-	-	-	
Wheels	Yes	Yes	Yes	Yes	-	Yes	Yes	-	
External / Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	Recessed handle	
Control									
Cooling type	Static								
Dual function	Yes	No							
Control	Mechanic								
Display	-	-	-	-	-	-	-	-	
Electronic refrigerator temperature regulation	-	-	-	-	-	-	-	-	
Electronic freezer temperature regulation	-	-	-	-	-	-	-	-	
Super cooling / Super freezing function	-	-	-	-	-	-	-	-	
Holiday function	-	-	-	-	-	-	-	-	
Winter-Summer function	-	-	-	-	-	-	-	-	
Freezer equipment									
Number of drawers - closed drawers	-	-	-	-	-	-	-	-	
Ice trays - Ice cube capacity	-	-	-	-	-	-	-	-	
Number of baskets	1	1	1	1	1	1	1	-	
Illumination									
LED lightning	Yes	-	Yes	Yes	-	Yes	Yes	-	
Power and water connection									
Voltage range [V]	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	
Frequency [Hz]	50	50	50	50	50	50	50	50	
Rated power [W]	210	86	170	170	58	145	110	60	
Rated current [A]	1	1,5	0,9	0,9	1,1	0,8	0,55	0,4	
Type of plug	Schuko								
Power cord length [m]	1.50	1.70	1.50	1.50	1.70	1.50	1.50	1.50	

	928271174
	8422248100687
	EZH-0611
	White
	8
	E
	154
	-
	59
	4
	-
	-
	22
	8,6
	SN/N/ST/T
	47
	Free Standing
	835
	384
	620
	Vertical
	-
	-
	Recessed handle
	Static
	No
	Mechanic
	-
	-
	-
	-
	-
	-
	-
	-
	-
	-
	-
	-
	-
	220-240
	50
	60
	0.4
	Schuko
	1.50

Code EAN Model	926270299 8422248096676 EDW-6242 X	926270300 8422248096683 EDW-6230 X	926270301 8422248096690 EDW-6230 WH	926270320 8422248110372 EDW-6231 X	926270321 8422248110389 EDW-6231 WH	926270306 8422248096744 EDW-6130 X
Finish	S. steel	S. steel	White	S. steel	White	S. steel
Product fiche according to EU Regulation 2019/2022 - 2019/2017						
Rated capacity (ps)	14	13	13	13	13	13
Height (cm)	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm)	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm)	60	60	60	60	60	60
Energy Efficiency Index (EEI)	43,9	55,9	55,9	55,9	55,9	55,9
Energy efficiency class	C	E	E	E	E	E
Cleaning performance index (IC)	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID)	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh [per cycle], based on the ECO programme	0,747	0,937	0,937	0,951	0,951	0,937
Energy consumption in kWh [per 100 cycle], based on the ECO programme	75	94	94	95,1	95,1	94
Water consumption in litres [per cycle], based on the ECO programme	9,8	11	11	11	11	11
Duration of the eco programme (Tt) (h:min)	3:18	3:40	3:40	3:40	3:40	3:40
Type	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding
Airborne acoustical noise emissions (dB(A))	47	49	49	49	49	49
Airborne acoustical noise emission class	C	C	C	C	C	C
Power consumption in off-mode (Po) (W)	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W)	/	/	/	/	/	/
Delay start (W) (if applicable)	1	1	1	1	1	1
Networked standby (W) (if applicable)	No	No	No	No	No	No
Technical documentation (UE) 2019/2017						
Standard programme energy consumption (SPEC) (kWh/cycle)	0,747	0,937	0,937	0,951	0,951	0,937
Does standby mode include the display of information?	Yes	Yes	Yes	Yes	Yes	Yes
Power consumption in standby mode (Psm) in condition of networked standby (W)	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W)	1	1	1	1	1	1
Duration of the Left-on Mode (Tl) (min) (EP)	15	15	15	15	15	15
Product dimensions						
Height min/max [mm]	845	845	845	845	845	845
Width [mm]	598	598	598	598	598	598
Depth [mm]	600	600	600	600	600	600
Adjustable legs	50	50	50	50	50	50
Cabinet and door dimensions						
Minimum cabinet height [mm]	/	/	/	/	/	/
Minimum cabinet width [mm]	/	/	/	/	/	/
Minimum cabinet depth [mm]	/	/	/	/	/	/
Max door height (built-in models) [mm]	No	No	No	No	No	No
Sliding door	No	No	No	No	No	No
Control panel						
Display / LED	Yes	Yes	Yes	Yes	Yes	No
Salt control pilot light	Yes	Yes	Yes	Yes	Yes	Yes
Rinse aid control pilot light	Yes	Yes	Yes	Yes	Yes	No
Time remaining indicator	Yes	Yes	Yes	Yes	Yes	Yes
Delay for starting operation	24h	24h	24h	24h	24h	3/6/9h
Programs and functions						
Number of programs	7	7	7	7	7	6
Intensive [°C-min]	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min
Normal [°C-min] - Universal	/	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min
ECO [°C-min]	50 °C / 198 min	45 °C / 220 min	45 °C / 220 min	45 °C / 220 min	45 °C / 220 min	45 °C / 220 min
Express 90° [°C-min]	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min
Glass [°C-min]	50 °C / 120 min	50 °C / 120 min	50 °C / 120 min	50 °C / 120 min	50 °C / 120 min	50 °C / 120 min
Rapid 30° [°C-min]	45°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min
Soak [min]	15 min	15 min	15 min	15 min	15 min	/
Automatic [°C-min]	55-65°C, 90-180 min	/	/	/	/	/
Start / Pause function	Yes	Yes	Yes	Yes	Yes	Yes
Half load function	Yes	Yes	Yes	Yes	Yes	Yes
Extra drying function	Yes	Yes	Yes	Yes	Yes	Yes
Flex wash function (Alternative wash function)	Yes	Yes	Yes	Yes	Yes	No
Total Clean function (Strong wash function)	Yes	No	No	No	No	No
Equipment						
Upper basket with height regulation	Yes	Yes	Yes	Yes	Yes	Yes
Upper basket foldable support for cups	Yes	Yes	Yes	Yes	Yes	Yes
Upper/Lower basket foldable supports	Yes	Yes	Yes	Yes	Yes	Yes
Type of dispenser	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding
Slide&Go tray	-	-	-	-	-	-
Third tray	Yes	-	-	Yes	Yes	-
Additional specifications						
Motor	Inverter	Standard	Standard	Standard	Standard	Standard
Automatic door open	Yes	No	No	No	No	No
Enabled for all in one detergent	Yes	Yes	Yes	Yes	Yes	Yes
Type of cavity	S. steel	S. steel	S. steel	S. steel	S. steel	S. steel
Safety						
Child lock	Yes	Yes	Yes	Yes	Yes	Yes
Triple security system	Yes	Yes	Yes	Yes	Yes	Yes
Power and water connection						
Voltage range [V]	220-240	220-240	220-240	220-240	220-240	220-240
Frequency [Hz]	50	50	50	50	50	50
Rated power [W]	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100
Rated current [A]	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75
Type of plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Power cord length [m]	1500	1500	1500	1500	1500	1500
Inlet water hose length [m]	1500	1500	1500	1500	1500	1500
Drain water hose length [m]	1400	1400	1400	1400	1400	1400

(1) A ++ (highest efficiency) to G (lowest efficiency). (2) Energy consumption based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used. (3) Water consumption based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used. (4) A (highest efficiency) to G (lowest efficiency). (5) This program is suitable for cleaning soiled normally soiled tableware and that it is the most efficient programme in terms of its combined energy and water consumption for that type of tableware.

	926270307 8422248096751 EDW-6130 WH	926270308 8422248096768 EDW-6120 WH	926270302 8422248096706 EDW-4710 X	926270303 8422248096713 EDW-4710 WH	926270304 8422248096720 EDW-4610 X	926270305 8422248096737 EDW-4610 WH	926270315 8422248101769 EDB-6240-I SL	926270312 8422248097260 EDB-6130-I	926270316 8422248101776 EDB-4710-I SL	926270311 8422248096805 EDB-4610-I
	White	White	S. steel	White	S. steel	White	Built-in	Built-in	Built-in	Built-in
13	12	10	10	10	10	14	13	10	10	10
84,5	84,5	84,5	84,5	84,5	84,5	81,5	81,5	81,5	81,5	81,5
59,8	59,8	44,8	44,8	44,8	44,8	59,8	59,8	44,8	44,8	44,8
60	60	60	60	60	60	55	55	55	55	55
55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9	55,9
E	E	E	E	E	E	E	E	E	E	E
1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
0,937	0,923	0,755	0,755	0,755	0,755	0,951	0,937	0,755	0,755	0,755
94	92	76	76	76	76	95	94	76	76	76
11	11	9	9	9	9	11	11	9	9	9
3:40	3:50	3:55	3:55	3:55	3:55	3:40	3:40	3:55	3:55	3:55
Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Freestanding	Fully build in	Fully build in	Fully build in	Fully build in	Fully build in
49	52	49	49	49	49	47	49	47	47	49
C	D	C	C	C	C	C	C	C	C	C
0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49
/	/	/	/	/	/	/	/	/	/	/
1	1	1	1	1	1	1	1	1	1	1
No	No	No	No	No	No	No	No	No	No	No
0,937	0,923	0,755	0,755	0,755	0,755	0,951	0,937	0,755	0,755	0,755
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
/	/	/	/	/	/	/	/	/	/	/
1	1	1	1	1	1	1	1	1	1	1
15	15	15	15	15	15	15	15	15	15	15
845	845	845	845	845	845	815	815	815	815	815
598	598	448	448	448	448	598	598	448	448	448
600	600	600	600	600	600	580	580	580	580	580
50	50	50	50	50	50	55	50	50	50	50
/	/	/	/	/	/	820	820	820	820	820
/	/	/	/	/	/	600	600	450	450	450
/	/	/	/	/	/	580	580	580	580	580
No	No	No	No	No	No	800	720	800	720	800
No	No	No	No	No	No	Yes	No	Yes	No	No
No	No	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3/6/9h	3/6/9h	24h	24h	3/6/9h	3/6/9h	24h	24h	24h	24h	24h
6	4	7	7	6	6	6	5	6	5	5
65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min	65 °C / 205 min
55 °C / 175 min	/	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min	55 °C / 175 min
45 °C / 220 min	45 °C / 230 min	45 °C / 235 min	45 °C / 235 min	45 °C / 235 min	45 °C / 235 min	45 °C / 220 min	45 °C / 220 min	45 °C / 235 min	45 °C / 235 min	45 °C / 235 min
60 °C / 90 min	60 °C / 90 min	65 °C / 90 min	65 °C / 90 min	65 °C / 90 min	65 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min	60 °C / 90 min
50 °C / 120 min	/	40 °C / 120 min	40 °C / 120 min	40 °C / 120 min	50 °C / 120 min	50 °C / 120 min	/	50 °C / 120 min	50 °C / 120 min	/
50°C / 30 min	50°C / 30 min	45°C / 30 min	45°C / 30 min	45°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min	50°C / 30 min
/	/	15 min	15 min	15 min	/	/	/	/	/	/
/	/	/	/	/	/	/	/	/	/	/
Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
No	No	No	No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Compact Sliding	Flip	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding	Compact Sliding
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
No	No	No	No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
S. steel	Plastic	S. steel	S. steel	S. steel	S. steel	S. steel	S. steel	S. steel	S. steel	S. steel
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
50	50	50	50	50	50	50	50	50	50	50
1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100	1760-2100
8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75	8-8,75
Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500
1400	1400	1400	1400	1400	1400	1400	1400	1400	1400	1400

Code EAN Model	925270511 8422248098304 EWF-1710 WH	925270500 8422248096867 EWF-1482 WH	925270510 8422248098298 EWF-1481 WH	925270502 8422248096881 EWF-1470 X	925270503 8422248096898 EWF-1470 WH	925270507 8422248096935 EWF-1060 WH
Finish	White	White	White	Stainless Steel	White	White
Product fiche according to EU Regulation 2019/2023						
Rated capacity (kg)	10	8	8	7	7	6
Height (cm)	85	85	85	85	85	85
Width (cm)	60	60	60	60	60	60
Depth (cm)	57	57	50	50	50	40
Energy Efficiency Index (EEI)	60	60	91	59,9	91	91
Energy efficiency class	B	B	E	B	E	E
Cleaning performance index	1,04	1,04	1,04	1,04	1,04	1,04
Rinsing effectiveness (g/kg)	5	5	5	5	5	5
Energy consumption in kWh [per cycle], based on the ECO programme	0,593	0,545	0,827	0,516	0,748	0,737
Water consumption in litres [per cycle], based on the ECO programme	52	48	48	45	45	43
Maximum temperature inside the treated textile (°C) - Rated Capacity	38	34	38	36	39	41
Maximum temperature inside the treated textile (°C) - Half Capacity	38	29	33	34	35	33
Maximum temperature inside the treated textile (°C) - Quarter Capacity	23	21	25	21	24	20
Remaining moisture content (%) - Rated capacity	53	53	53	53	53	62
Remaining moisture content (%) - Half capacity	53	53	53	53	53	62
Remaining moisture content (%) - Quarter capacity	53	53	53	53	53	62
Spin speed (rpm) - Rated capacity	1500	1400	1400	1400	1400	1000
Spin speed (rpm) - Half capacity	1500	1400	1400	1400	1400	1000
Spin speed (rpm) - Quarter capacity	1500	1400	1400	1400	1400	1000
Spin-drying efficiency class	B	B	B	B	B	C
Programme duration (h:min) - Rated capacity	3:59	3 : 38	3 : 38	3 : 28	3 : 28	3 : 18
Programme duration (h:min) - Half capacity	3:00	2 : 48	2 : 48	2 : 42	2 : 42	2 : 36
Programme duration (h:min) - Quarter capacity	3:00	2 : 48	2 : 48	2 : 42	2 : 42	2 : 36
Type	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Airbone acoustical noise emissions in the spinning phase (dBA)	80	76	80	76	80	80
Airbone acoustical noise emission class (spinning phase)	C	B	C	B	C	C
Off-mode (W)	0,50	0,50	0,50	0,50	0,50	0,50
Standby mode (W)	-	-	1	-	1	1
Delay start (W)	4	4	4	4	4	4
Product dimensions						
Height min/max [mm]	850	850	850	850	850	850
Width [mm]	595	595	595	595	595	595
Depth [mm]	565	565	565	495	495	400
Adjustable legs	Yes	Yes	Yes	Yes	Yes	Yes
Cabinet and door dimensions						
Minimum cabinet height [mm]						
Minimum cabinet width [mm]						
Minimum cabinet depth [mm]						
General features						
Loading type	Front	Front	Front	Front	Front	Front
Motor type	Silence Inverter	Silence Inverter	Standard	Standard	Standard	Standard
Hatch door diameter [cm]	33	31	28,80	31,00	28,80	28,80
Drum type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Filter system	Accessible	Accessible	Accessible	Accessible	Accessible	Accessible
Foam reduction system	Accessible	Accessible	Accessible	Accessible	Accessible	Accessible
Load self adjustment	Yes	Yes	Yes	Yes	Yes	Yes
Control						
Control type	LED Digital Display	LED Digital Display	LED Digital Display	LED Digital Display	LED Digital Display	LED Digital Display
Independent washing temperature selection	Yes	Yes	Yes	Yes	Yes	Yes
Independent spinning speed selection	Yes	Yes	Yes	Yes	Yes	Yes
Delay start [h]	Yes	Yes	Yes	Yes	Yes	Yes
Start / Pause key	Yes	Yes	Yes	Yes	Yes	Yes
Countdown display	Yes	Yes	Yes	Yes	Yes	Yes
Washing cycle display	Yes	Yes	Yes	Yes	Yes	Yes
Programmes						
Nº of programmes	15	16	23	16	23	23
Cotton	Yes	Yes	Yes	Yes	Yes	Yes
Sintetic	Yes	Yes	Yes	Yes	Yes	Yes
Delicates	Yes	Yes	Yes	Yes	Yes	Yes
ECO	Yes	Yes	Yes	Yes	Yes	Yes
Wool	Yes	Yes	Yes	Yes	Yes	Yes
Hand wash	Yes	Yes	Yes	Yes	Yes	Yes
Quick [min]	Yes	Yes	Yes	Yes	Yes	Yes
Mix	Yes	Yes	Yes	Yes	Yes	Yes
Sport clothes	Yes	Yes	Yes	Yes	Yes	Yes
Baby clothes	Yes	Yes	Yes	Yes	Yes	Yes
Customized	Yes	Yes	Yes	Yes	Yes	Yes
Special functions						
Prewash	Yes	Yes	Yes	Yes	Yes	Yes
Extra rinse	Yes	Yes	Yes	Yes	Yes	Yes
Safety						
Child-lock door	Yes	Yes	Yes	Yes	Yes	Yes
Anti-flooding system	Yes	Yes	Yes	Yes	Yes	Yes
Power and water connection						
Voltage range [V]	220-240	220-240	220-240	220-240	220-240	220-240
Frequency [Hz]	50	50	50	50	50	50
Rated power [W]	1.950	2.000	2.000	2.050	2.050	2.000
Rated current [A]	10	10	10	10	10	10
Type of plug	Schuko	Schuko	Schuko	Schuko	Schuko	Schuko
Power cord length [m]	1,5	1,5	1,5	1,5	1,5	1,5
Inlet water hose length [m]	1	1	1	1	1	1
Drain water hose length [m]	1,6	1,6	1,6	1,6	1,6	1,6

Washing standard programs: 40 °C and 60 °C cotton. (1) Class range from A+++ (more efficient) to G (less efficient). (2) Annual energy average consumption based on 220 standard wash cycles 40°C and 60°C cotton program, full load and half load and low consumption program. (3) Annual water average consumption based on 220 standard wash cycles using 40 °C and 60 °C cotton program, full load and half load and low consumption program. The real water consumption depends on the conditions of use. (4) Class range from A (more efficient) to G (less efficient).

Code	925270506	925270505
EAN	8422248096928	8422248096911
Model	EWF-1480-I / A	EWS-1480-I / A
Finish	Built-in	Built-in
Product fiche according to EU Regulation 2019/2023		
Rated capacity (kg)	8	8-6
Height (cm)	83	83
Width (cm)	60	60
Depth (cm)	54	54
Energy Efficiency Index (EEI)	60	60-78,4
Energy efficiency class	B	B-E
Cleaning performance index	1,04	1,04 - 1,04
Rinsing effectiveness (g/kg)	5	5 - 5
Energy consumption in kWh [per cycle], based on the ECO programme	0,545	0,545 - 3,6
Water consumption in litres [per cycle], based on the ECO programme	48	48 - 90
Maximum temperature inside the treated textile (°C) - Rated Capacity	37	38
Maximum temperature inside the treated textile (°C) - Half Capacity	33	38
Maximum temperature inside the treated textile (°C) - Quarter Capacity	23	21
Remaining moisture content (%) - Rated capacity	53	53
Remaining moisture content (%) - Half capacity	53	53
Remaining moisture content (%) - Quarter capacity	53	53
Spin speed (rpm) - Rated capacity	1400	1400
Spin speed (rpm) - Half capacity	1400	1400
Spin speed (rpm) - Quarter capacity	1400	1400
Spin-drying efficiency class	B	B
Programme duration (h:min) - Rated capacity	3 : 38	3 : 38 - 9:30
Programme duration (h:min) - Half capacity	2 : 48	2 : 48 - 6:40
Programme duration (h:min) - Quarter capacity	2 : 48	2 : 48
Type	Built-in	Built-in
Airbone acoustical noise emissions in the spinning phase (dBA)	76	76
Airbone acoustical noise emission class (spinning phase)	B	B
Off-mode (W)	0,50	0,50
Standby mode (W)	1	1
Delay start (W)	4	4
Product dimensions		
Height min/max [mm]	830	830
Width [mm]	590	590
Depth [mm]	540	540
Adjustable legs	Yes	Yes
Cabinet and door dimensions		
Minimum cabinet height [mm]	840	840
Minimum cabinet width [mm]	600	600
Minimum cabinet depth [mm]	580	580
General features		
Loading type	Front	Front
Motor type	Silence Inverter	Silence Inverter
Hatch door diameter [cm]	31	31
Drum type	Stainless Steel	Stainless Steel
Filter system	Accessible	Accessible
Foam reduction system	Accessible	Accessible
Load self adjustment	Yes	Yes
Control		
Control type	LED Digital Display	LED Digital Display
Independent washing temperature selection	Yes	Yes
Independent spinning speed selection	Yes	Yes
Delay start [h]	Yes	Yes
Start / Pause key	Yes	Yes
Countdown display	Yes	Yes
Washing cycle display	Yes	Yes
Programmes		
Nº of programmes	16	16
Cotton	Yes	Yes
Sintetic	Yes	Yes
Delicates	Yes	Yes
ECO	Yes	Yes
Wool	Yes	Yes
Hand wash	Yes	Yes
Quick [min]	Yes	Yes
Mix	Yes	Yes
Sport clothes	Yes	Yes
Baby clothes	Yes	Yes
Customized	Yes	Yes
Special functions		
Prewash	Yes	Yes
Extra rinse	Yes	Yes
Safety		
Child-lock door	Yes	Yes
Anti-flooding system	Yes	Yes
Power and water connection		
Voltage range [V]	220-240	220-240
Frequency [Hz]	50	50
Rated power [W]	1.950	1.900
Rated current [A]	10	10
Type of plug	Schuko	Schuko
Power cord length [m]	1,5	1,5
Inlet water hose length [m]	1	1
Drain water hose length [m]	1,6	1,6

Code	936270483
EAN	8435436110467
Model	ESC-8000 WH
Finish	
Product fiche	White
Capacity cotton [kg]	8
Delicate textiles drying capacity [kg]	1
Dryer type	Condensation
Energy efficiency class (2)	B
Total annual energy consumption [kWh/year] (3)	561
Energy consumption - cotton full load [kWh]	4,74
Energy consumption - cotton half load [kWh]	2,56
Energy consumption - off mode [W]	0,28
Energy consumption in standby (left-mode) [W]	0,8
Standby time (left-on mode) [min]	10
Drying time - cotton full load [min]	140
Drying time - cotton half load [min]	90
Average drying time - cotton full load [min]	112
Condensation efficiency class	B
Condensation efficiency - cotton full load [%]	80,1
Condensation efficiency - cotton half load [%]	80,1
Average condensation efficiency - cotton [%]	80,1
Noise level drying [dB(A)]	69
General features	
Loading type	Front
Built-in / free-standing	Free-standing
Self adjusting consumption according to load	✓
Drum volume [l]	109
Door measurement [cm]	37,5
Removable condenser cuvette	✓
Water tank for steam [l]	4,8
Moisture monitoring system	✓
Floss filter	✓
Reversing system: double sense movement	✓
Quick dry	✓
Feet and wheels	2 feet and 2 wheels
Control	
Delayed start programme key	✓
Selection block key	✓
Blocked filter indicator	✓
Anti-crease key	✓
On/Off key	✓
Start delay options [h]	3-6-9-12
Programme and display	LED
Start/pause programme key	✓
In operation indicator	✓
Anti-crease indicator	✓
Selection blocked indicator	✓
End of cycle indicator	✓
Programming control type	Mechanic
Acoustic indicator for programme ended	✓
Full tank indicator	✓
Programming	
Extra fine programme	2
Vapour programme (anticreaser)	60' and 30'
Quick programme [min]	45'
Nº of total drying programmes	16
Ventilation programme (aeration)	✓
Easy-iron programme	✓
Automatic programme	✓
Jeans programme	✓
Cotton programme	✓
Sintetic programme	✓
Delicates programme	2
Sport programme	✓
Mixed programme	✓
Safety systems	
Heating safety	✓
Connection	
Current [A]	12
Voltage [V] / Frequency [Hz]	220-240 / 50
Total power [W]	2700
Dimensions	
Height with worktop [mm]	845
Height without worktop [mm]	815
Width [mm]	595
Dimensions depth [mm]	615
Power connection	
Voltage range [V]	220-240
Frequency [Hz]	50
Rated power [W]	2700
Rated current [A]	16
Type of plug	Schuko
Power cord length [mm]	1,6

Code	950270029	950270031	950270033	950270027	950270023	950270025	950270035	950270019	950270003
EAN	8422248081177	8422248081191	8422248081450	8422248081153	8422248081443	8422248081139	8422248093309	8422248081085	8422248080927
Model	MAKALU BE 50X40 1C R-10	MAKALU BE 45X40 1C R-10	MAKALU BE 40X40 1C PLUS R-10	MAKALU BE 40X40 1C 4-10	FUJI BE 50X40 1C	FUJI BE 40X40 1C PLUS	FUJI BE 40X40 1C R-60	FUJI BE 34X40 1C	VELETA SE 80 2C
DIMENSIONS									
Cutout dimension (length x width) [mm]	500 x 400	450 x 400	400 x 400	400 x 400	500 x 400	400 x 400	400 x 400	400 x 340	780 x 480
Dimensions (length x width x depth) [mm]	540 x 440 x 200	490 x 440 x 200	440 x 440 x 250	440 x 440 x 200	530 x 440 x 180	440 x 440 x 200	440 x 440 x 180	370 x 430 x 180	800 x 500 x 180
GENERAL FEATURES									
Type of sink	Undermount	Undermount	Undermount	Undermount	Undermount	Undermount	Undermount	Undermount	Built-in countertop
Material	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304	Stainless steel 304
Steel thickness [mm]	1,2	1,2	1,2	1,2	0,7	0,7	0,7	0,7	0,8
Colour	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
BOWL AND DRAINING RACK DETAILS									
Bowl quantity	1	1	1	1	1	1	1	1	2
Bowl form	Square with inverted pyramid surface	Square	Square	Square	Square	Square			
Draining rack	No	No	No	No	No	No	No	No	No
Draining rack form	-	-	-	-	-	-	-	-	-
Draining rack position	-	-	-	-	-	-	-	-	-
Tap hole	No	No	No	No	No	No	No	No	Yes
Noise absorber foam	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bowl anti condensation coating	-	-	-	-	-	-	-	-	-
ACCESSORIES	1	1	1	1	1	1	1	1	2
Drainpipe type	Square 3 1/2"	Square 3 1/2"	Square 3 1/2"	Square 3 1/2"	Round 3 1/2"	Round 3 1/2"	Round 3 1/2"	Round 3 1/2"	Round 3 1/2"
Drainpipe quantity	1	1	1	1	1	1	1	1	2
Overflow tube	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Code	950270043	950270037	950270015	950270017	950270009	950270011	950270042	950270013	950270005
EAN	8422248198288	8422248112529	842224801047	8422248081061	8422248080989	8422248081009	8422248190657	8422248081023	8422248080941
Model	VELETA SE 86 1C1E ED	VELETA SE 86 1C1E EI	VELETA SE 80 1C1E REVERSIBLE	VELETA SE 50 1C	K2 SE 84 2C	K2 SE 84 1C1E REVERSIBLE	K2 SE 49 1C	K2 SE 45 1C	K2 SE 47 1C
DIMENSIONS									
Cutout dimension (length x width) [mm]	840 x 480	840 x 480	780 x 480	480 x 480	820 x 420	820 x 420	Ø465	Ø415	470 x 460
Dimensions (length x width x depth) [mm]	860 x 500 x 180	860 x 500 x 180	800 x 500 x 180	500 x 500 x 190	840 x 440 x 180	840 x 440 x 180	485 x 160	450 x 450 x 180	490 x 470 x 180
GENERAL FEATURES									
Type of sink	Built-in countertop Stainless steel 304								
Material	Stainless steel 304								
Steel thickness [mm]	0,8	0,8	0,7	0,7	0,8	0,7	0,7	0,7	0,7
Colour	Steel								
BOWL AND DRAINING RACK DETAILS									
Bowl quantity	1	1	1	1	2	1	1	1	1
Bowl form	Square	Square	Square	Square	Round	Round	Round	Round	Square rounded
Draining rack	Yes	Yes	Yes	No	No	Yes	No	No	No
Draining rack form	Square	Square	Square	-	-	Round	-	-	-
Draining rack position									
Tap hole	Yes	Yes	Reversible	Yes	Yes	Yes	Yes	No	Yes
Noise absorber foam	Yes	No	Yes						
Bowl anti condensation coating									
ACCESSORIES									
Drainpipe type	Round 3 1/2"								
Drainpipe quantity	1	1	1	1	2	1	1	1	1
Overflow tube	Yes								

Code	951270016	951270020	951270021	951270022	951270023	951270001	951270024
EAN	8422248102261	8422248110457	8422248110464	8422248110471	8422248110488	8422248083683	8422248110495
Model	YOSEMETE PRO CROMO	VICTORIA CROMO	MARO CROMO	NIAGARA INOX	NIAGARA CROMO	IGUAZU CROMO	SL CROMO
DIMENSIONS							
Dimensions (diameter, lenght) of spout braided hose [", cm]	3/8, 50	3/8, 36	3/8, 36	3/8, 36	3/8, 36	3/8, 50	3/8, 36
Product dimensions (height x width x depth) [mm]	682 x 273 x 96,5	510 x 96 x 282	294 x 275 x 90	380 x 230 x 95	380 x 230 x 95	255 x 52 x 250	260 x 156 x 52
GENERAL FEATURES							
Water tap type	Single-lever	Single-lever	Single-lever	Single-lever	Single-lever	Single-lever	Single-lever
Material	Brass	Stainless steel 304	Brass	Stainless Steel	Brass	Brass	Brass
Material of handle	Zinc	Stainless steel 304	Cast	Stainless Steel	Cast	Zinc	Cast
Material of spout braided hose	Stainless steel 304	Silicone	Stainless steel	Stainless steel	Stainless steel	Stainless steel 304	Stainless steel
Finish style	Chrome	Satin	Chrome	Chrome	Chrome	Chrome	Chrome
Instalation place	Sink, cooktop	Sink, cooktop	Sink, cooktop	Sink, cooktop	Sink, cooktop	Sink, cooktop	Sink, cooktop
Flow limiter (l/min)	12	5,7	5,7	5,7	5,7	15-17	5,7
SPOUT AND CONTROL DETAILS							
Spout type	Long	Long	Long	Long	Long	Long	Short
Spout form	Semi-professional	Semi-professional	L form	Curved	Curved	Curved	Line
Removable spout	Yes	Yes	Yes	No	No	No	No
Rotatory spout	Yes / 360°	Yes / 360°	Yes / 360°	Yes / 360°	Yes / 360°	Yes / 360°	Sí / 360°
Airy spout	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Shower function	Yes	Yes	Yes	No	No	No	No
Control type	Handle	Handle	Handle	Handle	Handle	Handle	Handle
Control position	Right side	Right side	Right side	Right side	Right side	Frontal	Right side
ACCESSORIES							
Cartridge type	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic	Ceramic
Installation triangle	Yes	Yes	Yes	Yes	Yes	Yes	Yes

CODE	MODEL	LOADINGS		
		40HC	40'	20'
922272058	EIT-7422 DD B	392	392	196
922272023	EIM-9530 R	945	860	400
922272024	EIM-8430 R	990	900	420
922272052	EIM-6422 B	1440	1200	550
922272019	EIM-6331 HT BQ B	1440	1200	550
922272040	EIMS-6332 B	1440	1200	550
922272043	EIMS-6330 B BK	1440	1200	550
922272044	EIMS-6330 B WH	1440	1200	550
922272014	EIM-6330 B	1440	1200	550
922272048	EIM-6328 B WH	1440	1200	550
922272018	EIR-6331 B	1440	1200	550
922272046	EIS-6330 R	1400	1200	550
922272039	EIT-6329 B	1440	1200	550
922272051	EIT-6328 R	1440	1200	550
922272047	EIS-3220 B	1100	2300	2700
922272041	EVT-6422 R	1440	1200	550
922272049	EVT-6328 B	1440	1200	550
922272050	EVT-6328 R	1800	1800	900
922272064	EVT-3220 B /B	1100	2300	2700
922272067	EGG-9051 TI TR CI N	768	672	336
922272068	EGG-7551 TI TR CI N	1015	880	410
922272069	EGG-6041 TI TR CI N	1152	1008	490
922272070	EGG-6041 TI TR CI B	1152	1008	490
922272071	EGX-6041 TI TR CI N	1152	1008	490
922272072	EGX-6041 TI TR CI B	1152	1008	490
922272073	EGX-6041 TI N	1152	1008	490
922272074	EGX-6041 TI B	1152	1008	490
922272075	EGG-6031 TI TR CI N	1152	1008	490
922272076	EGG-6031 TI TR CI B	1152	1008	490
922272077	EGX-6031 TI TR CI N	1152	1008	490
922272078	EGX-6031 TI TR CI B	1152	1008	490
922272079	EGG-3021 TI N	2065	1785	835
922272080	EGX-3022 TI N	2065	1785	835
921270253	EOE-8411 P X	216	162	81
921270258	EOE-7050 FBK	228	171	85
921270259	EOE-7050 FWH	228	171	85
921270263	EOE-7040 BK	228	171	85
921270261	EOE-7040 WH	228	171	85
921270262	EOE-7040 X	228	171	85
921270264	EOE-6040 X	228	171	85
921270255	EOE-6020 X	228	171	85
921270256	EOE-5020 X	228	171	85
921270260	EOE-5010 X	228	171	85
921270252	EOE-4530 X	284	284	140
921270217	EOE-4520 X	284	284	140
929270348	EMW-2530-IG XBK	530	440	215
929270349	EMW-2530-IG XWH	530	440	215
929270361	EMW-2530-IG BK	530	440	215
929270362	EMW-2530-IG WH	530	440	215
929270360	EMW-2510-IG X	420	408	195
929270347	EMW-2320-IG X	450	424	212
929270363	EMW-2020-IG BK	638	530	260
929270364	EMW-2020-IG WH	638	530	260
929270352	EMW-2010-IG XBK	603	504	239
929270353	EMW-2010-IG XWH	603	504	239
929270344	EMW-2020-IG X	450	400	200
929270346	EMW-2020-I X	450	400	200
932271900	ECC-1832 WH	236	209	102
932271901	ECV-9832 GBK	308	273	134
932271902	ECV-9832 GWH	308	273	134
932271903	ECV-7832 GBK	386	342	168
932271904	ECV-7832 GWH	386	342	168

CODE	MODEL	LOADINGS		
		40HC	40'	20'
932271883	ECV-9831 GBK	300	240	108
932271894	ECV-9831 GWH	300	240	108
932271905	ECB-9831 XGBK	308	273	134
932271906	ECB-9831 XGWH	308	273	134
932271907	ECB-7831 XGBK	360	360	168
932271908	ECB-7831 XGWH	360	360	168
932271909	ECB-9611 X	300	288	144
932271910	ECB-7611 X	375	360	168
932271911	ECB-6611 X	425	408	192
932271886	ECB-9411 X	576	480	224
932271887	ECB-7411 X	720	600	292
932271888	ECB-6411 X	828	680	332
932271915	ECP-9611 X	384	336	164
932271916	ECP-7611 X	480	420	208
932271917	ECP-6611 X	556	488	236
932271889	ECP-9411 X	576	480	240
932271890	ECP-7411 X	720	600	292
932271891	ECP-6411 X	828	680	332
932271918	ECG-9832 X	424	376	184
932271941	ECG-8632 GBK	950	840	400
932271942	ECG-8632 GWH	950	840	400
932271897	ECG-5831 GBK	955	846	415
932271898	ECG-5831 GWH	955	846	415
932271899	ECG-5811 X	966	828	396
932271920	ECT-6411 X	1260	1080	540
932271919	ECT-6411 WH	1260	1080	540
932271921	ECS-6213 X	1372	1186	576
932271922	ECS-6213 WH	1372	1186	576
924271322	ESS-1832 NF EX	48	-	-
924271321	EFC-2035 NF EX	57	-	-
924271509	EFC-1822 NF GBK	76	-	-
924271263	EFC-7832 DNF EX	64	-	-
924271264	EFC-2032 NF EX	72	-	-
924271265	EFC-2032 NF WH	72	-	-
924271320	EFC-1833 NF EX	76	-	-
924271266	EFC-1832 NF EX	72	-	-
924271267	EFC-1832 NF WH	72	-	-
924271268	EFC-1821 NF EX	72	-	-
924271269	EFC-1821 NF WH	72	-	-
924271306	EFC-1822 NF WH	101	-	-
924271305	EFC-1821 ST WH	105	-	-
924271350	EFC-1711-I /C	72	-	-
924271272	EFT-1711 EX	97	-	-
924271273	EFT-1711 WH	97	-	-
924271274	EFT-1611 WH	108	-	-
924271275	EFT-1411 WH/B	144	-	-
924271311	EFS-1823 NF EX	72	-	-
924271310	EZS-1823 NF EX	72	-	-
924271307	EFS-0813 WH	239	-	-
924271308	EZS-0813 WH	239	-	-
924271278	EFS-0812 WH	254	-	-
924271289	EFS-0911 WH	340	-	-
924271299	EFS-0411 WH	573	-	-
924271290	EFS-0511 I	215	-	-
924271291	EFS-0512 I	215	-	-
924271292	EZS-0511 I	215	-	-
924271282	EZS-1732 NF	72	-	-
924271281	EZS-1412	144	-	-
928271180	EZH-5011	60	38	18
928271170	EZH-4211	70	48	20
928271179	EZH-4111	69	46	25
928271178	EZH-3511	75	50	28

CODE	MODEL	LOADINGS		
		40HC	40'	20'
928271171	EZH-3011	101	66	32
928271177	EZH-2811	96	66	40
928271176	EZH-2014	112	72	42
928271175	EZH-0911	225	202	96
928271174	EZH-0611	270	219	118
926270299	EDW-6242 X	162	108	54
926270300	EDW-6230 X	162	108	54
926270301	EDW-6230 WH	162	108	54
926270320	EDW-6231 X	162	108	54
926270321	EDW-6231 WH	162	108	54
926270306	EDW-6130 X	162	108	54
926270307	EDW-6130 WH	162	108	54
926270308	EDW-6120 WH	162	108	54
926270302	EDW-4710 X	248	168	80
926270303	EDW-4710 WH	248	168	80
926270304	EDW-4610 X	248	168	80
926270305	EDW-4610 WH	248	168	80
926270315	EDB-6240-I SL	162	108	54
926270312	EDB-6130-I	162	108	54
926270316	EDB-4710-I SL	248	168	80
926270311	EDB-4610-I	248	168	80
925270511	EWF-1710 WH	216	144	70
925270500	EWF-1482 WH	216	144	70
925270510	EWF-1481 WH	216	144	70
925270502	EWF-1470 X	216	144	70
925270503	EWF-1470 WH	216	144	70
925270507	EWF-1060 WH	216	144	70
925270505	EWS-1480-I	171	114	54
925270506	EWF-1480-I	216	144	70
936270483	ESC-8000 WH	153	102	48
950270029	MAKALU BE 50X40 1C R-10	2155	-	845
950270031	MAKALU BE 45X40 1C R-10	2350	-	925
950270033	MAKALU BE 40X40 1C PLUS R-10	2350	-	970
950270027	MAKALU BE 40X40 1C 4-10	2585	-	1015
950270023	FUJI BE 50X40 1C	3550	-	1400
950270025	FUJI BE 40X40 1C PLUS	5625	-	2250
950270035	FUJI BE 40X40 1C R-60	6885	-	2700
950270019	FUJI BE 34X40 1C	6000	-	2355
950270003	VELETA SE 80 2C	3380	-	1560
950270043	VELETA SE 86 1C1E ED	-	-	-
950270037	VELETA SE 86 1C1E EI	-	-	-
950270015	VELETA SE 80 1C1E REVERSIBLE	4200	-	1820
950270017	VELETA SE 50 1C	3650	-	1430
950270009	K2 SE 84 2C	2500	-	985
950270011	K2 SE 84 1C1E REVERSIBLE	3670	-	1440
950270042	K2 SE 49 1C	-	-	-
950270013	K2 SE 45 1C	5508	-	2172
950270005	K2 SE 47 1C	4116	-	1620
951270016	YOSEMITE PRO CROMO	-	-	-
951270020	VICTORIA CROMO	-	-	-
951270021	MARO CROMO	-	-	-
951270022	NIAGARA INOX	-	-	-
951270023	NIAGARA CROMO	-	-	-
951270001	IGUAZU CROMO	-	-	-
951270024	SL CROMO	-	-	-

edesa

edesa

edesa

edesa

CATA ELECTRODOMÉSTICOS S.L.

Tlf: +34 938 594 100.- Fax +34 938 594 101.

www.cata.es - www.edesa.es - www.cnagroup.es - cna@cnagroup.es

Headquarters: c/ Anabel Segura, 11, Edif. A, 3a pl. 28108. Alcobendas (Madrid. Spain)

Factory: c/ del Ter, 2, Apdo. 9. 08570. Torelló (Barcelona. Spain)

CNA
group

cata

edesa

NODOR

Apelson